Index for Volume 77

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses. Pages of errata are in italic type.

Abbas, H. K., 584, 1697, 1698
Abstracts
—abstract author index, 1681
—annual meeting, 1687
—Northeastern division, 115, 1613
—Pacific division, 1237
—Potomac division, 985
—Southern division, 637
Abu-Teen, K. H., 1722
Achor, D., 1341
Acid rain, (see Pollution)
Acremonium spp.
—on *Festuca* and *Lolium* seeds, microflora interactions, 115
—serological relationships, 1701
Actinomycetes (see also Streptomycetes), on apple roots, replant disease relation, 1071, (1073-1075)
Adams, G. C., 1687, 1693, 1721
Adams, P. B., 575
Adaskaveg, J. E., 1749
Adelman, M., 1701
Aebig, J. A., 1764
Agaricus bisporus
—La France disease of, dsRNA association, 1321, (1323)
—Verticillium disease of, factors affecting, 1617
Agricultural production, prospects in Third World, plenary session, 34
Agrios, G. N., 1616, 1619
Agrobacterium spp.
—*A. radiobacter*: crown gall biocontrol, new agents, 463; strain K84 and *A. tumefaciens*, genetic exchange, 1770
—*A. rhizogenes*: DNA of, in *Brassica* roots, *Polymyxa* relation, 539; root-inducing T-DNA from, use in mycorrhizal infection, 1045, (1046-1049); TL-DNA gene role in root formation, 1697
—*A. tumefaciens*: biocontrol with new agents, testing of, 463; biovar 3, grape root decay by, plasmid relation, 1694; chemotaxis, root cap cell effect, 1693; on chrysanthemum, strain characterization, 1767; fimbriae of, 1633; on grape, biovar 3 and systemic spread, 915, (916-918); on peas, genotypic variation, 1241; in soil, detection, biovar discrimination, and virulence assessment, 1725; on sunflower and tomato, light/dark cycle effect, 1708; in tobacco, interference of hypersensitive response, 1693
—*A. tumefaciens* and *A. radiobacter*, on grapevine, root-specific decay, 1424, (1425, 1426)
Agropyron spp., barley yellow dwarf virus on, resistance and aphid feeding behavior, 725, (728)
Air pollution (see Pollution)
Ahmad, J. S., 182, 358
Aist, J. R., 1740, 1771
Akhtar, M., 1740
Alarcoa e Silva, R., 1725
Albaugh, D. A., 1773
Alberga, A. H., 927
Albugo candida, on *Brassica campestris*, minor gene resistance, 527
Alcorn, S. M., 1126, 1703
Alderman, S. C., 642, 960, 1699, 1700, 1701
Aldwinckle, H. S , 124, 1475, 1551, 1694
Alexander, J. D., 639, 1730
Alexander, S. A., 552, 557
Alfalfa
—clones in tissue culture, oxalic acid tolerance on callus induction, 1737
—cold hardiness and *Sitona*/*Fusarium* complex, 1615
—*Colletotrichum trifolii* on, medicarpin accumulation related to resistance, 1751
—foliar diseases: bacteria for biocontrol, 1615; yield related to, 887
—fungicide seed treatment for, plant effects, 1242
—leaf spot diseases: environment and other factors, 1730; harvest variation, 1741; resistance assessments in North Carolina, 964; sampling procedures for severity determination, 157
—leaf spot pathogens, inoculum density and microenvironmental factors, 644
—*Meloidogyne* populations on, pathological differences, 1238
—Phytophthora root rot, stand longevity and yield effect, 1237
—Pseudopeziza leaf spot, host-parasite relations, 309, (310, 311, 313-316), 1236
—Pythium soft rot, in sprouts, 123
—root and crown fungi of, in North Dakota, 1759
—roots affected by *Fusarium* and clover root curculio, 1616
—sprout deterioration by *Pseudomonas* during production, 1620
Alfalfa mosaic virus, resistance conferred by RNA4, transgenic plants, 1740
Alfenas, A. C., 1729
Algae, growth inhibition by methionine and riboflavin, 1748
AliNiazee, M. T., 1762
Allard, R. W., 352, 1710
Allelopathy, plant, pathogen, and insect interactions, 986
Allender, P. A., 1726
Almeida, A. M. R., 1765
Almond, *Ceratocystis fimbriata* on, resistance related to wound periderm, 1174, (1176, 1178)
Alternaria spp.
—*A. alternata*: mycotoxin production by, in soybean seeds, 1698; on tomato, AAL-toxins, 80
—*A. crassa*, protoplasts of, production and regeneration, 1721
—*A. dauci*, inoculum of, isolation, storage, and production, 1008
—*A. panax*, on ginseng, resistance to iprodione, 1747
—*A. porri*: on onions, sporulation factors, 1698; on onion leaves, conidial germination and infection, 1761
—*A. solani*, on potato, acidic mist effect on infection and sporulation, 564
Alvarez, A. M., 366, 1725
American Phytopathological Society
—abstracts (see Abstracts)
—annual meeting, plenary session: agricultural production in Third World, 34; population explosion, 29
—annual report, 7
—awards, summary, 50
—CIBA-Geigy award, 49
—fellows, 43
—international food production programs, APS role, 37
—officers, representatives, and committees, 41
—presidential address, Sequeira, 24
—Ruth Allen award, 48
Ammar, E. D., 1051, 1705, 1732, 1743
Ammon, V., 1758
Amrine, J. W., 987
Amundson, R. G., 71, 75
Anaele, A. O., 1690
Anagnostakis, S. L., 751
Anas, O., 327
Anderegg, J. C., 1237
Anderson, B., 999
Anderson, J. W., 1242
Anderson, L., 1705
Anderson, R. L., 1726
Andow, D. A., 1775
Andrews, J. H., 1470, 1698
Andrews, R. E., 1765
Anemone coronaria, wilt of, *Colletotrichum* and *Pseudomonas* relation, 116
Anguiz, R., 1736
Ann, P. J., 1711, 1759
Ansa, O. A., 1731
Antibiotics, gliotoxin, sensitivity mechanisms, 1720
Anzalone, L., Jr., 1730, 1752
Aphanomyces sp., on alfalfa, soil isolates, 118
—*A. euteiches*, pisatin sensitivity in, reduction by lipid extracts, 771
Aphelenchus avenae, salivation induced in, 1463, (1465-1468)
Apis mellifera, blueberry leaf mottle virus vector, 167
Appel, D. N., 1717
Apple
—bacteria in roots of, growth promotion effect, 1583, (1586)
—blue mold of, postharvest biocontrol, 981
—Brooks fruit spot, biology and epidemiology, 431, (432, 434)
—disease management, IPM impact, 1613
—fenarimol and flusilazol uptake in leaves of, factors, 1564
—fire blight of: occurrence in rootstocks, 990; overwintering cankers, 989; prediction in Maryland, 989; resistance and *Erwinia* virulence, 1551
—mucor rot, control with *Pseudomonas cepacia*, 1776
—replant disease, conducive soils in, actinomycete-like organism interaction, 1071, (1073-1075)
—resistance to *Botrytis* and *Penicillium* in fruits, 1674, (1675, 1676)
—scab: selection for benomyl resistance, 86; sterol-inhibiting fungicide for, systemic, 1691
—tree canopy density, measurement, 1614
—tree root disorders, diagnosis and treatment, 1614
Apple mosaic virus
—protoplast infection by electroporation, 1619
—on rose, monoclonal antibody production, 1734
Aquino, V. M., 1746
Arcelin, R., 121
Aref, N. M., 1721
Armentrout, V. N., 619, 623
Armillaria spp.: biological species of, from sour cherry, 941; on Christmas tree plantation, root disease, 123; on spruce, root infection in Maine, 119; on spruce and fir, isolate compatibility, 117
—*A. mellea*, isozyme detection, in rhizomorphs, 1756
Armitage, C. R., 1764
Armstron, J. L., 1695

Arroyo, T., 1730
Ascochyta spp.
—*A. pteridis*, on bracken fern, environment and host factors, 1144
—*A. rabiei*: on chickpea, factors, 1242; survival in debris, 1240
Ash
—mycoplasmalike organisms of, antibiotic effect on, 1614
—virus and mycoplasmalike organism on, 116
—yellows of, mycoplasmalike organisms associated with decline, 1727
Ashworth, L. J., 1734
Asparagus
—Cercospora blight, cultural and fungicidal control, 640
—disease severity, mycorrhiza and phosphorus effect, 1760
—Stemphylium leaf spot, epidemiology, 407, (408, 412)
—virus-free clones, chemicals and heat treatment for, 120
Asparagus virus-II, monoclonal antibodies specific for, 1743
Aspen
—drought stress effects, automated system for producing, 1757
—hypoxylon canker, tissue culture bioassay, 115
Aspergillus spp.
—*A. flavus*, on cotton: pectinase production and identification, 1498; water stress effects, 739
—*A. nidulans*, potential plant pathogen, 1692
—*A. parasiticus*, asexual development, induction, 641
Asselin, A., 1122
Atkinson, M. M., 987, 1268, 1273, 1573
Aulacorthum solani, soybean dwarf virus vector, temperature effect on transmission, 515
Austin, S., 1709
Avocado
—*Phytophthora cinnamomi* on, histologic changes in roots, 691, (693-696)
—Phytophthora root rot, screening method with detached root inoculation, 841
Ayers, A. R., 1750, 1775
Aylor, D. E., 107, 1442, 1729
Azaizeh, A. H., 1703
Azalea, Phytophthora root rot, biocontrol with *Penicillium*, 1688
Azevedo, M. D., 893

Babadoost, M., 1238
Baccharis spp.
—*Fusarium* in roots and rhizospheres of, toxigenic, in Brazil, 584
—mycotoxins in, macrocyclic trichothecene in Brazil, 980
Bachi, P. R., 1689
Bacillus subtilis, Rhizoctonia root rot of soybean controlled by, 1687
Bacteria
—ice nucleation: bacterial brown spot disease predictor in snap bean, 1078; use in orchards, 1036
—ice nucleation-active, on apple and peach, chemical effects, 643
—lytic peptides in, novel, 1768
—pathogenic and symbiotic, fimbriae of, 1633, (1636, 1637)
—Pierce's disease, detection with DNA probe, use for xylem-limited bacteria, 1769
—populations in leaf tissue, monitor growth method, 832
—soft rot, on decayed vegetables, 673
—xylem-limited, ELISA for detection, 1769
Badu-Apraku, B., 957
Bagley, S. T., 1760
Bahme, J. B., 1093, 1688
Baker, C. A., 1722
Baker, C. J., 987, 1268, 1273, 1556, 1573, 1751
Baker, E. M., 1735
Baker, J. M., 1745
Baker, R., 182, 335, 341, 358, 1057, 1707
Balass, O., 201
Banana
—black sigatoka: development rate prediction, in Taiwan, 1542; environment effect, 1730
—leaf spot, incidence, and severity relation in Taiwan, 1537
Bandong, J. M., 1723
Bandy, B. P., 1619
Banksia grandis, *Phytophthora cinnamomi* in roots of, temperature-growth relations, 661
Barbosa, P., 986
Bar-Joseph, M., 669
Barkdoll, A. W., 1735
Barker, K. R., 1746
Barksdale, T. H., 988
Barley
—barley yellow dwarf virus and net blotch effects on freezing hardiness, 1435
—black stain of, resistance inheritance, 1724
—embryo necrosis related to loose smut resistance, 533
—leaf rust resistance in, factors, 549
—net blotch, root rot effect on, 1454
—powdery mildew of: papillae and molecular component involvement, 1740; wound plugs, papillae, and cytoplasmic aggregates in cells, 1751
—*Rhynchosporium secalis*, resistance to races of, 352
Barley yellow dwarf virus
—on *Agropyron* spp., resistance and aphid feeding behavior, 725, (728)
—on barley, effect on freezing hardiness, 1435
—bioassays and suction traps, management use, 1239
—covalently linked protein of, 1705
—genome organization, 1704
—in the Jordan Valley, 1731
—RPV serotype, transmission, 1732
—serologically selective types, 1706
—survey in Pennsylvania, 986
Barnett, O. W., 642, 791
Barnett, R. D., 1488
Barros, C. S., 980
Bartz, J. A., 1697
Basarab, G. S., 988
Basidiomycete, low temperature, snow mold from, sclerotium formation, 1700, 1701
Bassett, M. J., 1304
Bates, J. J., 1770
Bauer, D. W., 1696
Baulcombe, D. C., 1764
Baumer, J. S., 1399
Baumgardner, R. A., 1776
Baxter, L. W., Jr., 639
Bayaa, B. O., 115
Bayles, C. J., 1740
Bays, D. C., 1762, 1763
Bazzi, C., 115, 1424
Beagle-Ristaino, J., 1744
Bean, G. A., 438, 584, 980, 1697, 1698
Bean
—beetle feeding on, beetle regurgitant assay, 1765
—seedborne bacteria of, detection test using antibiotic resistant bacteria, 1762
Bean common mosaic virus, detection in seed samples, 1240
Bean golden mosaic virus, gene expression and mapping, 1764
Bean pod mottle virus, quantification by dot immunobinding assay, 1765
Bean rugose mosaic virus, physicochemical properties of, 1317, (1318)
Bean yellow mosaic virus
—aphid transmission, 1766
—on clover, plant age effect, 643
—potyvirus subgroup, isolate relations, 791
Beaupré, C. M-S., 1773
Beaver, R. W., 611, 1694
Becker, C. M., 1746
Becker, J. O., 1688, 1746
Beckman, C. H., 1692
Beech, bark disease
—canker development in Maine forests, 118
—*Nectria* association, 1615
Beer, S. V., 1071, 1551, 1694, 1696, 1725, 1767
Beet distortion mosaic virus, new soilborne virus, 1732
Beet western yellows virus, DNA and RNA comparison, 1705
Belanger, R., 115, 1727
Beleid, F., 1751
Bell, A. A., 1692
Belmar, S. B., 1138
Bender, C. L., 1740
Benedict, A. A., 366, 1725
Ben-Gweirif, S., 1750
Bennett, A. R., 985, 1726
Benny, U., 1289, 1696
Benson, D. M., 1688
Beremand, M., 678
Berestecky, J. M., 1725
Bergdahl, D. R., 1615
Berger, P. J., 1765
Berger, R. D., 63, 393
Berggren, G. T., 640, 1568, 1690, 1751, 1752, 1770
Bergstrom, F. B., 115
Bergstrom, G. C., 115, 121, 957, 1355, 1613, 1619, 1754
Berkett, L. P., 1613
Berman, P. M., 122
Bermudagrass, spring dead spot of, in North Carolina, 1728
Berndt, W. L., 1716
Bertagnole, C. L., 1237
Bertoni, G., 832
Bertrand, P., 641
Beute, M. K., 960, 1716, 1719, 1746
Bharathan, N., 1613
Bidne, K. G., 1702, 1742, 1746
Biehn, W. L., 1770
Biggs, A. R., 718, 1690
Biles, C. L., 639, 1736
Bills, G. F., 985, 1701
Bingaman, D., 986
Bioherbicides, *Colletotrichum graminicola* and *Gloeocercospora sorghi*, for johnsongrass control, 1771
Biological control (see also Suppressive soil)
—*Aphanomyces euteiches* on pea, bacterial application, 1688
—bean bacterial brown spot, use of avirulent mutant, 1768
—blue mold of apple, postharvest, 981
—*Chaetomium* to *Venturia*, factors and no biocontrol, 1470
—computer simulation model to predict dispersal in soil, 1771
—corn root disease control, parasite and saprophyte use, 1771
—crown gall, new agents, testing of, 463
—cucumber damping-off from *Pythium*, compost amendment, 755
—*Enterobacter* for Rhizopus rot of peach, 303, (304)
—ergot and blind seed disease, sclerotial decomposition with chemicals, 1239
—*Erwinia herbicola* to *E. amylovora*, for fire blight, 909
—frost protection in strawberry, *Pseudomonas* ice nucleation-deficient mutants, 882
—Fusarium wilt of: carnation, in Italy, 1721; cucumber, *Fusarium*, and bacterial relation, 1707; watermelon, induction of suppressive soil, 607
—petal fungi and *Sclerotinia sclerotiorum*,

115
—postharvest treatments in apple disease, 1777
—*Pseudomonas fluorescens*: against *Pythium ultimum*, iron competition, and antibiosis role, 1758; for *Verticillium dahliae* on potato, 1592
—Pythium damping-off: by bacteria, nutrient competition, 190; bacterial seed treatment, 1708
—*Pythium nunn* for Pythium damping-off of cucumbers, 335, 341
—*Pythium oligandrum* against *P. ultimum* on sugar beet, 1013, (1016, 1017)
—*Pythium ultimum* root rot of bean, biological seed treatments, 1687
—*Rhizoctonia* by *Gliocladium*, mycoparasitism, 992, (993)
—*Rhizoctonia*-like fungus to *Rhizoctonia* on bean, 1548
—*Rhizoctonia* membrane damage by *Gliocladium* and *Trichoderma*, 699
—*Rhizoctonia solani*: on cotton by *Laetisaria* and insect, 642; in fescue turfgrass, 1721
—solarization to induce suppressive soils, 1663
—*Sporidesmium sclerotivorum* to *Sclerotinia minor* and *Sclerotinia sclerotivorum*, 575
—*Trichoderma* and *Gliocladium virens* antagonism to decay fungi, 1756
—*Trichoderma hamatum* to Rhizoctonia damping-off in bark compost media, 1206
—*Verticillium dahliae* controlled by *Talaromyces flavus*, 616
Bipolaris spp.
—*B. maydis*: on corn, race T, peroxidase changes and susceptibility, 1739; race T, guaiacol effect, 1701
—*B. sorokiniana*: on barley, effect on net blotch, 1454; on bentgrass and bluegrass, factors affecting, 1733; on bluegrass, ethylene biosynthesis and infection, 1280; on bluegrass, ethylene response and chlorophyll loss, 1734
Birch
—ozone and mycorrhizal relations, 1616
—white rot basidiomycetes of, cell wall lignin distribution, 684, (685, 687, 689)
Bisaro, D. M., 1231
Bishnoi, U. R., 1690
Bishop, A. L., 115, 1085, 1424, 1694
Bishop, G., 1239
Bissonnette, S. M., 1687
Bitterlin, M. W., 560
Black, L. L., 641
Blake, J. H., 1732
Blaker, N. S., 1113
Blanchard, L. M., 1424, 1694
Blanchette, R. A., 684, 1717
Bledsoe, A. M., 1148
Blenis, P. V., 1717, 1727
Blueberry
—carlavirus infection, electron microscopy, 1618
—sheep pen hill disease of, rod particles associated with, 1722
—stem canker of, yield effect in New Jersey, 1613
—virus causing blight, new, 1721
Blueberry leaf mottle virus, pollen transmission, bee-mediated, 167
Blueberry shoestring virus, detection and insect vector, 1745
Bockus, W. W., 1337, 1752, 1759
Boer, S. H. De, 1753
Boerma, H. R., 703
Boethel, D. J., 1690, 1707
Bohl, W. H., 1237
Boland, G. J., 115, 1613
Bolla, R. I., 1775
Bollich, C. N., 799
Bonde, M. R., 438, 639, 1725, 1730
Bonman, J. M., 323, 1723, 1741
Bonn, W. G., 1729
Bonnen, A. M., 1711
Bonner, R. L., 1725
Bonsi, C., 1698
Borromeo, E. S., 1693
Bosch, U., 1698
Bosland, P. W., 1289, 1772
Bostian, B., 640
Bostock, R. M., 275, 1148, 1174, 1701
Botryodiplodia theobromae
—on dogwood, stress pathogen, 1733
—on grape, occurrence and control, 1690
Botryosphaeria dothidea, on pistachio, panicle and petiole retention, 1770
Botrytis spp.
—*B. cinerea*: on apple fruit, resistance to infection, 1674; conidial germination in, grower activity and environment effect, 1733; on grapes, spray adjuvant effect, 1148; on pistachio, survival in twig cankers, 1241; spore characteristics affected by glucose in media, 1606; on strawberry, spore production, 115; on strawberry flowers, temperature and wetness effect, 1225
—*B. squamosa*: on onion, fungicide timing sequential sampling plan, 1301; on onion, infection index for, 1620; sporulation of, prediction model, 122
Boucher, A., 1588
Boudreau, M. A., 1470
Bouzar, H., 1770
Bowden, R. L., 1703
Bowers, J. H., 1752
Boyd, C., 477
Boyer, C. D., 1762
Bracker, C. E., 1765
Bradbury, R., 1617
Brady, N. C., 34
Bradyrhizobium japonicum, in nodules, glyceollin accumulation and nitrogen fixation capacity, 1753
Bradysia sp., sclerotial feeder, 327, (329)
Brakke, M. K., 162
Brantley, B. B., 1624
Brassica spp.: clubroot, vector transferring DNA of *Agrobacterium*, 539, (540, 541); rapid cycling population use in teaching, 1772
—*B. campestris*, *Albugo candida* on, minor gene resistance selection, 527
—*B. oleracea*, linkage studies, morphologic and isozymic markers, 1772
Braun, E. J., 1706, 1753
Braun, P. G., 115
Bremia lactucae, on lettuce, virulence genetics, 1381
Brennan, E., 116, 117, 1761
Brenneman, T. B., 639, 990, 1028
Breyel, E., 1731
Bridges, J. R., 83
Bristow, P. R., 1237, 1721
Britton, K. O., 1691
Brlansky, R. H., 543
Broadbent, P., 205, 210
Broccoli
—bacterial soft rot, in Tennessee, 1712
—downy mildew of, fungicide evaluation, 1748
Brodie, B. B., 1613
Bromus inermis, *Pyrenophora tritici-repentis* from, pathogenic to wheat, 760
Brooker, N. L., 1721
Broscious, S. C., 887
Browder, L. E., 423, 1737
Brown, A. E., 1701
Brown, D. A., 1739
Brown, E. M., 431
Brown, M. C., 1748
Brown, M. P., 1242
Bruck, R. I., 520, 969, 1699, 1717, 1727
Bruckart, W. L., 985, 1721
Bruhn, J. N., 1735, 1760
Bruton, B. D., 1713
Bucci, S. J., 118
Buchman, A. M., 985
Buchner, V., 506
Bugbee, W. M., 765, 1752
Bulger, M. A., 921, 1225
Bull, C. T., 1688
Bunkers, G., 1240
Burhop, L., 1740
Burkholderiella, earlier name for *Clavibacter*, 1766
Burmeister, H. R., 1483
Burnes, P. M., 1771, 1775
Burpee, L. L., 115, 119
Burr, T. J., 115, 1424, 1583, 1694, 1746
Burrows, P. M., 363, 791
Bursaphelenchus xylophilus
—host-specific pathotypes of, 1775
—on wood chips in soil, root infestations, 1615
Burstein, Y., 506
Burton, G. W., 293
Buschman, L. L., 1774
Bush, A. L., 1767
Bushnell, W. R., 1751, 1760
Bussey, M. J., 1749

Cabauatan, P. Q., 473
Cabunagan, R. C., 871
Caesar, A. J., 1583
Cahill, D. M., 1755
Calathea spp., *Bipolaris setariae* on, fertilizer effect, 640
Calcium oxalates, formation by *Mycena citricolor*, in coffee, 780, (783, 784)
Caldwell, J. D., 642
Calvert, L. A., 1743
Calvert, O. H., 1777
Camellia spp., Cylindrocladium root rot of, 639
Cameron, G. E., 1725
Cameron, H. R., 1242
Camp, T. H., 642
Campana, R., 1238
Campbell, C., 1744
Campbell, C. L., 54, 157, 639, 644, 964, 969, 1730, 1741, 1744
Campbell, J. N., 1166
Campbell, T. A., 1751
Canaday, C. H., 1712
Canfield, M. L., 1770
Canola (see also Rapeseed), *Pseudomonas* on seedling roots, host response, 1166, (1167-1172)
Cao, J., 1723
Cappert, M. R., 1710, 1768
Capsicum spp. (see also Pepper), virus resistance in, multiple, 1722
—*C. annuum*: bacterial spot, hypersensitive resistant, allelism tests, 1304; protoplast isolation in, 1747
Cardoso, J. E., 1548
Cardwell de Castillo, K., 1692
Carey, A. C., 123
Carling, D. E., 1609, 1777
Carlson, M. C., 684
Carpenter, C. P., 1720
Carpio, C. B., 1762
Carris, L. M., 1613
Carrot
—Alternaria leaf spot, inoculum isolation, storage, and production, 1008, (1010)
—cavity spot, phenylamides for control, 120
Carson, M. L., 241, 1772
Carson, S. D., 1186
Cartwright, R. D., 639
Caruso, F. L., 116, 121, 1613, 1618, 1691
Casale, W. L., 1697
Casper, R., 1731
Cass, D. D., 1166
Cassava
—blight eradication program, in Guam, 1776
—viruslike agent in, latent, 92
Castello, J. D., 116, 121

Cauliflower mosaic virus
—blueberry red ringspot virus relation, serological, 1239
—host range, genetic analysis, 1705
—single gene effect, 1704
Cavanaugh, K. J., 1698
Celery
—Fusarium wilt of, race 2, field evaluation for resistance, 1712
—Fusarium yellows, crop residue effect on tissue colonization and propagule survival, 381
—rhizoplane, rhizobacteria effect on, 1688
Cephalosporium gramineum, sporulation on oat kernels, temperature effect, 1744
Ceponis, M. J., 511
Ceratocystis spp.
—*C. fagacearum*, toxins produced by, in oak leaves, 1757
—*C. fimbriata*, on almond, resistance related to wound periderm, 1174, (1176, 1178)
—*C. minor*, growth affected by terpenoids, 83
—*C. ulmi*: antibiotic produced by *Bacillus subtilis*, effects, 1771; on elm, fungicides for control, 707, (709); toxin production by, ELISA to screen organisms producing, 96; vessel character and movement in elms, 1238
Cercospora spp., cercosporin production by, fungus resistance, 1515
—*C. arachidicola*: cercosporin production and pathogenicity, 642; on peanut, computer simulation model, 1118; on peanut, sporulation factors, 960; phytotoxic substances from, not cercosporin, 1719
—*C. kikuchii*, from soybean, recovery, 1706
—*C. medicaginis*, on alfalfa: resistance assessment, 964; sampling procedures for severity determination, 157
—*C. zebrina*, on clover, seed production effect, 1707
Cereal, take-all of, susceptibility and yield loss, 1773
Cerkauskas, R. F., 1703
Cha, B., 1614
Chaetomium globosum, antagonism to *Venturia inaequalis*, no biocontrol, 1470
Chai, H. B., 645
Chamuris, G. P., 985, 1701
Chang, C. J., 1726, 1769
Chao, C. P., 1723
Chappelka, A. H., 1690
Charchar, M. J. A., 1737
Charigkapakorn, N., 1002
Chase, A. R., 640, 1732
Chastagner, G. A., 1237, 1239
Chatterjee, A. K., 1199, 1725, 1736
Chen, K. H., 1614
Chen, P. M., 1578
Chen, T. A., 376, 511, 949, 1614, 1615, 1616, 1617, 1726
Chen, W., 755, 1707, 1708
Chen, X., 1237
Cheng, G. Y., 1709
Chengguo, W., 987
Chern, L. L., 1734
Cherry
—bacterial canker, systemic invasion, histopathology, 1246, (1247-1250)
—sour: *Armillaria* from, root rot, 941; bacterial leaf spot of, role of ice formation, 173, (175)
—sweet: canker and dieback diseases, etiology, 1241; stem pitting outbreak, 1242
Chet, I., 190, 1619
Childress, A. M., 167
Chin, C. K., 120
Chin, K. M., 666
Chitima-Matsiga, R. T., 1702
Chiykowski, L. N., 1615
Cho, J. J., 985
Choi, G. H., 1756
Choi, W. J., 1777
Cholesterol, *Pythium* spp. protected against antibiotics by, 319
Christ, B. J., 985, 988, 1614, 1620
Chrysanthemum
—Fusarium wilt, fungicide screen for, 1749
—stunt viroid of, histopathology, 655, (656-659)
Chrysanthemum morifolium, viroid detection in orange trees by transmission to, 210, (211, 212)
Chrysanthemum phloem necrosis
—chemotherapy with silver, 123
—etiology, stomatal morphology, and incidence in gardens, 120
—symptomatology and phloem anatomy, 118
—vascular cytopathology and microscopy of pathogen, 118
Chuang, T. Y., 1537, 1542
Chun, W., 1696
Chung, H. S., 232
Chung, Y. R., 1708
Circulifer tenellus, beet leafhopper transmitted virescence agent, 954
Citrus
—bacterial canker, in replant orchards in Argentina, 1729
—blight symptoms, xylem-limited bacteria causing, 641
—*Phytophthora* and feeder root densities, yield, systemic fungicides, 1691
—psorosis virus of, host range and dsRNA analysis, 1762
—root-infecting rhizosphere and nonrhizosphere fungus association, 1735
—viroids of, mild and severe, relative titers, 1743
Citrus exocortis viroid, on orange, transmission to chrysanthemum, 210
Citrus ringspot virus, hybrid isolates formed by component mixing, 640
Citrus tristeza virus
—dsRNA analysis, factors affecting, 442
—molecular characterization, in DNA clone application, 1743
—yield enhanced by purification procedure, 543
Civerolo, E. L., 282, 1725, 1768
Claflin, L. E., 426, 730, 1766, 1767
Clardy, J., 1240
Clark, A. E., 346
Clark, C. A., 1418, 1712, 1768
Clark, E. M., 1701
Clark, J. M., Jr., 1705
Clarke, B. B., 1733
Clarke, G. G., 1614
Clavibacter spp., *Burkholderiella* name earlier usage, 1766
—*C. michiganense*: on alfalfa, detection by ELISA, 1706; on corn, A632 inbred response, 1772; extracellular polysaccharides from, properties, pathogenic effect, 501, (503); identification method, 1694; isolation using selective media, 1694; polysaccharide from, multicomponent extracellular, 496; on potato, cultivar, inoculum dose, and strain effect, 1085; strain variation in, isolation from popcorn, 388
—*C. xyli*, in sugarcane, method of detection and radio-immunoassay, 1768
Clayton, M. K., 1364, 1751
Cleveland, G. L., 1725
Cleveland, T. E., 1498
Cline, S. D., 1739
Cloud, G. L., 1693
Clouse, S. D., 80
Clover, crimson, Phytophthora root rot, resistance screening, 643
Clover yellow vein virus, aphid transmission, 1766
Coakley, S. M., 1729
Cobb, F. W., Jr., 1238, 1242, 1360, 1717, 1727, 1757
Cochliobolus spp.
—*C. heterostrophus*: GAPDH gene in, characterization, 1754; pathogenic fitness of, 1754
—*C. sativus*: conidia in soil, atrazine effect, 1716; conidial debilitation in soil, matric potential effect, 1735; on wheat, *Pyrenophora tritici-repentis* interaction on leaves, 1355
Coconut, cadang-cadang disease, in Philippines, 1762
Cody, Y. S., 1036, 1695
Coffee, American leaf spot of, oxalic acid production, 780, (782, 784)
Coffey, D. L., 1712
Coffey, M. D., 201
Cohen, P., 1614
Cohen, S. D., 1756
Cohen, Y., 201, 1283, 1621, 1724, 1728, 1729, 1751
Colavito, L., 71
Colbaugh, P. F., 640, 1728
Cole, H., Jr., 86, 122, 1308, 1326, 1435, 1454, 1600
Coleman, L. W., 1280
Colletotrichum spp., tomato and pepper isolates compared for virulence, 641
—*C. acutalum*: on strawberry fruit, wetness duration and temperature effect, 1752; survival in soil and tissues, 1690
—*C. coccodes*, colonization on hosts, mycoherbicide implication, 1703
—*C. gloeosporioides*, on *Stylosanthes*, survival in populations, 1730
—*C. graminicola*: on corn, papilla in root-cap cells, 930; on corn, pathogenicity, virulence, and aggressiveness, 999; on corn, resistance, major gene, 957; DNA-mediated transformation, 1755; field populations, statistical analysis, 1692
—*C. lagenarium*, cutinolytic enzymes from, 1711
Collins, D. J., 1716
Collmer, A., 987, 1268, 1719, 1753
Colyer, P. D., 1728
Compost, bark, *Trichoderma* and bacteria for Rhizoctonia damping-off, 1206
Comstock, J. C., 1776
Conn, K. L., 1703
Conservation tillage, vegetable seedling diseases, fluid drilling application, 643
Converse, R. H., 1238, 1239, 1762
Convolvulus sepium, vesicular-arbuscular mycorrhizal infection of, use of root-inducing T-DNA from *Agrobacterium* rhizogenes, 1045, (1046-1049)
Conway, K. E., 640, 643, 1713
Conway, W. S., 1762
Cook, R. J., 286, 1104, 1192, 1239, 1715
Cooksey, D. A., 1695, 1711
Cooley, D., 1614, 1618
Cooper, T. M., 893
Coplin, D. L., 1696
Coriolus versicolor, on birch, lignin distribution in cell walls, 684, (685)
Corn
—aflatoxin contamination in kernels, microbial interaction, 1776
—anthracnose: papilla formation in root-cap cells and leaves, 930, (931); pathogenicity, virulence, and aggressiveness, 999
—anthracnose stalk rot, major gene for resistance, 957
—CoA ligase and lignin formation in, 1754
—Colletotrichum stalk rot, effect on plant growth, 115
—downy mildew, sporulation of three species, 438, (440)
—ear rot of: inbreds evaluated for resistance, 1747; inoculation methods in Tropics, 1747
—*Exserohilum turcicum* of, CO_2 exchange and photosynthate translocation, 1692

—fusaria and mycotoxins on corn ears, 1697
—*Fusarium moniliforme* on grain of, leucoencephalomalacia in horses from, 1698
—Gibberella ear rot, light microscopy, 1773
—gray leaf spot: cercosporin for detection in leaf tissue, 1754; yield reduction and tillage relation, 989
—Hc toxin effect on protoplasts, 1761
—leaf spot of, yield loss, letter to editor, 393
—northern corn leaf blight, lesion development related to position and density on leaves, 1738
—phenylpropanoids in, changes in response to infection, 1751
—polysome-associated protein from, pathogen and heat response, 1740
—rust, effect on yield components, 1748
—senescence of, nondestructive chlorophyll determination as measure, 1750
—stalk rot: nutrient interaction, 1745; related to spider mite, 1774
—sweet: multiple diseases and yield reduction, 1763; rust and yield relation, quantitative, 1066; rust of, incidence-severity relations, 1700; rust of, resistance related to growth stages, 454
—synthetic as disease resistant and resistant to European corn borer, 735
—tillage relation on drainage, ridomil effect, 1737
—viruses (see Maize)
—ZLEAF, leaf growth and ontogeny model, 1775
Cornell, J. A., 63
Correa, F. H., 1707
Correll, J. C., 1640, 1710
Corsini, D. L., 1238, 1702
Corynebacterium sepedonicum
—cloned sequence from, use in DNA hybridization, 1693
—on sugar beet, symptomless host, 765, (768)
—on sugar beet seed, 1752
Coscia, C. J., 1739
Cotton
—*Aspergillus flavus*: on seed, water potential effect, 739; in bolls, pectinase identification, 1498
—bacterial blight system, gene-for-gene or gene-for-genes?, 1696
—culture cells, bacterial hypersensitive reaction, 1750
—Fusarium wilt of, planting date effect, 1742
—insect and seedling diseases of, interactions, 1728
—Phymatotrichum root rot: plant density effect, 1657; systemic fungicide application in irrigation water, 1748
—*Rhizoctonia solani* on: biocontrol with *Gliocladium*, 992, (993); infection cushion development, 619, (620, 621), 623, (626, 628)
Cotty, P. J., 1776
Couch, H. B., 1733
Courtney, M. L., 1708
Cowpea
—southern bean mosaic virus: differential field infection, 136; nonnecrotic resistance inheritance, 1624
—virus-infected cells, membrane potential, 1751
—viruses of, resistance inheritance, 642
Cowpea chlorotic mottle virus
—nucleic acid precursors that inhibit multiplication, 477
—on soybean, concentration in resistant plants, 703
Cox, R. L., 1769
Cox, W. J., 1613
Craft, C. M., 116
Craig, J., 1530
Cranberry
—dieback of, 121
—fruit rot: control, timing, 116; incubation temperature effect on diagnosis, 1613
—Phytophthora root rot or dieback, in Massachusetts, 1691
—rose bloom disease, growth and yield effect, 1237
Crane, S. E., 986, 990
Creamer, J. R., 1732
Crebs, D. L., 1238
Criconemella spp.
—*C. ornata*, on centipedegrass, nutrient content affected by, 642
—*C. xenoplax*, in peach, nonhost plants for control, 1720
Crinipellis perniciosa, inoculum production and storage, 1747
Crombie, D. S., 246
Cronartium spp., in conifers, aerobiology in plantations, 1716
—*C. quercuum*: early symptoms and late appearance of galls, 1718; on loblolly pine, resistance and inoculum density, fertilizer effect, 1186; on pines, anatomy and resistant reactions, 1757
Crossan, D. F., 989
Cruickshank, R. H., 1241
Cryphonectria spp., *Endothia* compared to, 650, (652, 653)
—*C. parasitica*: dsRNA of, polymerase product characterization, 1739; peptides and RNAs of, virulence association, 1720; population dynamics in mixed-hardwood forest, 751
Cu, R. M., 986, 990
Cucumber
—anthracnose: systemic resistance induced, 1737; resistance, induction by oxalate and leaf extracts, 1751
—damping-off, compost amendment effect, 755
—downy mildew, cymoxanil to metalaxyl-resistant pathogens, 1283
—powdery mildew control with *Stephanoascus*, 1712
—Pythium damping-off: biocontrol, population dynamics and disease suppression, 335; soil environment and organic amendment effect, 341
Cucumber mosaic virus, on tomato, strain D and necrogenic satellite CARNA 5, 808
Cullen, R. E., 641
Culver, J. N., 640, 1742
Cunfer, B. M., 1762
Cuomo, J., 988
Cuppels, D. A., 1767
Curl, E. A., 642
Curtobacterium flaccumfaciens, on soybean, pink strain in isolation, 1710
Curvularia lunata, on creeping bentgrass, temperature and herbicide effect, 1733
Cylindrocarpon destructans, on *Baccharis* roots, mycotoxins, 980
Cylindrocladium spp.
—*C. crotalariae*: on peanut, cultural practice for control, 1716; on soybean, other pathogens, 1689
—*C. musae*, on banana, new species, control, 1729
—*C. scoparium*, in soil: recovery, 987; Washington, 1727
Cylindrosporium quercus, on oak, leaf spot, 1703
Cyperus esculentus, rust of, bentazon treatment, 1721
Cytospora chrysosperma, on aspen, infection factors, 1726

da Graca, J. V., 640
Dahiya, J. S., 1703
Daigle, D. J., 1560
Dally, E. L., 1769
Dalton, I. P., 1748
da Luz, W. C., 1355
Damann, K. E., Jr., 55, 1773
d'Ambrosio, R. P., 116
Damicone, J. P., 640, 1568, 1773
Damsteegt, V. D., 515, 987
Danesh, D., 1731
Daniels, C. H., 1695
Daniels, S., 1742
Dankers, W., 1712
D'Arcy, C. J., 1705, 1706
Darmono, T. W., 1702
Datnoff, L. E., 1730, 1775
Daub, M. E., 1515, 1701, 1719
Davidson, L., 1556
Davis, D. D., 119
Davis, J. M., 1729
Davis, J. R., 1238, 1702
Davis, M. J., 1768, 1769
Davis, R. E., 177, 1769
Davis, R. F., 120, 1618, 1722, 1743
Davis, R. M., 1714
Dawson, W. O., 477
Dean, R. A., 1692, 1751
De Boer, S. H., 828
DeCoste, M., 1768
Deegan, P. M., 661
Deep, I. W., 1716, 1737
Dekker, J., 1369
Delserone, L. M., 116, 1435, 1755
DeLucca, A. J., II, 1550
Demski, J. W., 1731, 1762
Dendroctonus spp., from ponderosa pine seedlings, fungi isolated from, pathogenicity, 631, (633)
—*D. frontalis*, symbiotic fungal association, terpenoid effect, 83
Denman, S. E., 1726
Denny, R. L., 1708
Denny, T. P., 987
Deoxyribose nucleic acid, *Fusarium oxysporum*, test of relatedness of strains, 1289
Derie, M. L., 1238
Dernoeden, P. H., 987
Desjardins, A. E., 678
Desjardins, P. R., 1774
Destéfano-Beltrán, L. J. C., 1768
DeVay, J. E., 1710, 1744, 1748
Devit, M., 1757
deZoeten, G. A., 1742
Dhanvantari, B. N., 1457, 1694
Dhawale, S., 1736
Diamandis, S., 1238
Diaporthe phaseolorum
—fungicide response, 1770
—on soybean: free moisture effect on canker, 1568; infection factors in seedlings, 786; seed lot infection, 1706
—in soybean fields, inoculum spread, 640
Dichomitus squalens, on birch, cell wall lignin distribution, 684, (689)
Dichondra, leaf spot diseases of, comparison, 1774
Dick, W. A., 1708
Dickerson, O. J., 53
Dickey, R. S., 426, 1257, 1263
Dickman, M. B., 1740
Dickstein, E. R., 1747
Dietz, M., 1238
Dillard, H. R., 748, 1700, 1748
Diplodia maydis, on corn, resistance to and corn borer, 735
Dirks, V. A., 1457
Disease, defoliation and growth, letter to editor, 1495
Disease detection, multispectral radiometer for, on peanut diseases, 643
Disease index, fungi on plants and plant products, 985
Disease prediction, tomato bacterial speck, application timing, 823
Disease progress curve, cultivar resistance index, 1181
Disease spread, rain splash dispersal of pathogens, study methods, 921

Disease transmission, infection rate and probability estimates, group testing factors, 1376
Dixon, D. E., 57
Dochinger, L. S., 1438
Dodds, J. A., 442
Doke, N., 645
Donald, P. A., 1746
Doster, M. A., 1614, 1701
Doubrava, N. S., 1751
Douglas-fir
—black-stain root disease of, allozyme analysis, 1360
—rhabdocline needlecast, budbreak relation to control, 123
—rhabdocline needlecast and Cooley's adelgid, resistance, 120
—root rot controlled by *Laccaria* and temperature, 1619
Dowler, W. M., 987, 1721
Downer, A. J., 619, 623
Drake, R. J., 1774
Drechslera spp.
—*D. gigantea*, eremophilanes from, phytoactive, 1240
—*D. teres*, on barley, root rot effect on, 1454
Dreisbach, T., 116, 1614, 1617
Drozdowski, J. L., 116
Dryden, P., 496
Drye, C. E., 491
Duck, N. B., 438
Duffus, J. E., 1668, 1732, 1759, 1766
Dulmage, H. T., 1776
Dunez, J., 1221
Duniway, J. M., 1744, 1745
Dunleavy, J. M., 1710
Dunn, P. H., 1761
Dupler, M., 594
Durall, D. M., 1761
Durand, D. P., 1765
Durbin, R. D., 1758
Durgan, M. E., 1381
Durojaiye, J. A., 1747
Dute, R. R., 1231
Duthie, J. A., 1741
Duval, D. L., 1759
Duvick, J. P., 1754

Eakin, D., 1698
Earle, E. D., 1761
Eastburn, D. M., 1690
Easton, G. D., 1592
Eberhardt, J., 116
Echandi, E., 644, 1548
Echinochloa hoja blanca virus, capsid and noncapsid proteins, serological and biochemical properties, 196, *770*
Eckert, J. W., 1728
Edgington, L. V., 119, 120
Edwards, M. C., 1773
Edwards, M. D., 527
Efron, Y., 1747
Egel, D. S., 1735
Eggplant, bacterial wilt, tolerance, 988
Ehret, G. R., 941
Elad, Y., 190
Elias, K. S., 1710
Ellingboe, A. H., 1719
Ellis, M. A., 226, 921, 1225, 1691, 1699, 1752
Elliston, J. E., 467
Elm
—Arbotect injection, translocation, 990
—canker of, cause and control, 1733
—Dutch elm disease of, systemic fungicide for, 707, (709)
—powdery mildew resistance in, native populations, 640
Elmer, W. H., 381, 1712
Elmstrom, G. W., 607
El-Nashaar, E. M., 641
El-Nashaar, H. M., 640
Elson, J. E., 1770
Emberger, G., 1691
Emerich, D. W., 1753
Endocronartium harknessii
—enzyme variability in, in North Dakota, 1757
—on lodgepole pine, inoculation methods, 1727
—on pines, isozyme pattern, 1242
—on Scots pine: inoculum source comparison, 1620; needle feeding sites, 1617
Endophyte, in fescue and ryegrass seeds, factors affecting, 893
Endothia spp., *Cryphonectria* compared to, 650, (652, 653)
—*E. parasitica*: calcium oxalate crystals in hyphae of, 1726; on chestnut, calcium oxalate relation, 985; ethylene production stimulated in hosts by, 1716; host specificity lack in isolates, 414; hypovirulent conidia affecting, 1717; hypovirulent strain of, dsRNA-containing vesicles, 1764; hypovirulent strains of, five strains compared, 467; isolate comparison in Michigan and West Virginia, 1771; plasmid presence in, 1755; strain dissemination in West Virginia, 1756; strains of, phenol oxidase production in, 1755; strains of, ultrastructure of hyphal anastomosis, 1760; virulent and hypovirulent strains, electron microscopic study, 988
Enebak, S. A., 1717
Engelhard, A. W., 1749
English, J. T., 1700
Engwall, J. K., 1199, 1736
Enterobacter cloacae
—antibiotic produced by, biocontrol role, 1720
—on mung bean sprouts, 123
—Rhizopus rot of peach controlled by, 303
Epichlöe typhina, on tall fescue and perennial ryegrass, in seeds, factors affecting, 893
Epstein, A. H., 1702
Epstein, L., 1238
Erinle, I. D., 1766
Errata
—vol. 74, no. 5, 1984, 1236
—vol. 77, no. 2, 1987: 770, 1236
Erwin, D. C., 1706
Erwinia spp.: differentiation based on fatty acid composition, 1767; polypeptide patterns, computer analysis, 745; on potato, tuber soft rot resistance, 1709
—*E. amylovora*: on apple, bactericides for, 987; on apple, virulence and resistance relation, 1551; detection and identification, monoclonal antibodies for, 376; DNA of transformed *Escherichia coli*, gene expression, 1616; monoclonal antibodies species-specific to antigens of, 1616; mutants of, TN5-induced, complementation, 1696; on pear fruit, detection with monoclonal antibodies, 990; plasmid DNA alteration, virulence, 1694; plasmid of, characterization, 1767
—*E. ananas*, on melons, strain isolation and characterization, 511
—*E. carotovora*: extracellular protease from, characterization, 122; extracellular protease of, role in soft-rot pathogenesis, 1736; monoclonal antibodies to pectate lyase from, 1753; pectolytic enzymes of, gene cloning, polygalacturonases, 1199; pectolytic enzymes from, isolation and characterization, 117; on potato, irrigation water as inoculum source, 1768; in potato tubers, survival in bins, 1767; on tomato, in greenhouses, etiology and factors, 1457, (1459); yellow mutant of, pigment properties, 117
—*E. carotovora* subsp. *atroseptica*, serogroup I, detection in potato, 828
—*E. chrysanthemi*: on corn, strain comparisons, 426; mutant of, construction and analysis of, pectate lyase izozyme, 1719; pectate lyase genes of, sequences, 1718; on sweet potato, screening for resistance, 1712; xylanase from, purification and characterization, 1753
—*E. herbicola*: motility and chemotaxis, effect on *E. amylovora*, 909; mutants, antibiotic effect, 1725
—*E. stewartii*: capsular polysaccharide genes in, site-directed mutagenesis, 1696; seedborne, immunosorbent assay for, 1706
Erysiphe spp.
—*E. graminis*: on barley, microinjection technique for conidia, 815, (816-818); β-tubulin gene from, 1755
—*E. polygoni*, on beet, resistance, 1723
Esbenshade, P. R., 1696
Espinoza, A. M., 1317
Essenberg, M., 1696, 1719
Estrada, B. A., 1723
Eucalyptus marginata
—*Phytophthora cinnamomi* on, phloem water relations, 246
—*Phytophthora cinnamomi* in roots of, temperature-growth relations, 661
Evenson, P. D., 805
Eversmeyer, M. G., 423, 1737
Everson, E. H., 742
Everts, K. L., 1698, 1761
Exserohilum turcicum, on corn: race 3, temperature and light effect, 1737; on corn, resistance to and corn borer, 735
Eyal, H., 1751

Fagan, S. G., 639
Fagbenle, H. H., 1713, 1714
Fahy, P. C., 1206
Fajemisin, J. M., 1747
Falk, B. W., 196, 1705, 1732, 1766
Falk, S., 115
Falloon, L. M., 407
Falloon, P. G., 407
Fare, D., 1728
Farr, D. F., 985, 1701
Farrald, C. J., 1714
Farrand, S. K., 463
Fawcett, J. S., 987
Feliciano, A., 776
Feliciano, A. J., 776, 1241
Fenn, M. E., 1761
Fenn, P., 1757
Ferguson, M. W., 805, 1750, 1773, 1775
Fernandez-Northcote, E. N., 1764
Ferrandino, F. J., 107, 116, 1741
Ferreira, S. A., 1750
Ferrin, D. M., 1753
Ferris, M. A., 116
Ferriss, R. S., 140, 371, 1152, 1192, 1723, 1745
Fescue, endophytic fungi in seeds of, factors affecting, 893
Fett, W. F., 266
Fetzer, J., 1730
Ficus lyrata, *Pseudomonas cichorri* on, fertilizer effect, 640
Fields, S. L., 640
Figwort mosaic virus
—host adaptation, 1704
—properties and host adaptation, 1668, (1670)
Filer, T. H., Jr., 1717
Filonow, A. B., 1713
Fimbriae, on bacteria, pathogenic and symbiotic, 1633, (1636, 1637)
Fir
—balsam, decay estimation and electrical resistance, 811
—Fraser, Phytophthora root rot of, distribution and disease progress, 520
—root pathogens of, lead and trace metal effect, 123
Fischer, S. L., 116
Fitzsimmons, K., 1775
Flax, pasmo, yield and flower production,

805
Flemington, P. M., 1735
Fletcher, J., 1726
Flores, Z. M., 871
Foor, C. J., 640
Ford, E. J., 1695, 1720
Fore, S. A., 1719
Forest decline, detection using orbital thematic mapper, in southern Appalachian mountains, 1699
Forests, spruce-fir, decay estimation and electrical resistance, 811
Fortlage, R. J., 1674
Foster, J. E., 725
Fralin, R. L., 990
Francl, L. J., 579
Frank, J. A., 122, 986, 989, 1326, 1435, 1454, 1619
Frank, J. R., 1721
Frank, R. L., 1769
Franklin, C. D., 1749, 1755
Franklin, J. D., 303
Franzen, L. M., 118
Frauley, K., 121
Fravel, D. R., 131, 616, 1720
Frederick, R., 1695, 1718
Frederiksen, R. A., 125, 128, 1530, 1692
Freedman, J. A., 1770
French, D. W., 707
French, R. C., 1754, 1755
Frias, G. A., 1747
Fribourg, C. E., 486, 1743
Fried, P. M., 1371
Fristensky, B. W., 1695
Frost injury, fruit tree orchards, bacterial relations, 1036
Fry, W. E., 122, 237, 401, 1614, 1696, 1729
Fu, Y., 1240
Fuentes, A. L., 1317
Fujimoto, T. T., 1753
Fulbright, D. W., 742, 1687, 1718, 1755
Fuller, M. S., 1702
Fulton, R. W., 1364
Fumigation, methyl bromide, dissipation dynamics in California soil, factors, 1242
Fungicides (general) (see also Fungicides, specific)
—application timing and sequential sampling plan, *Botrytis* on onions, 1301
—dicarboximides, for Sclerotinia blight of peanut, 1028
—methionine-riboflavin mixture for control, potential, 1749
—orchardgrass leafspot diseases, control, 1749
—pathogen resistance to, selection model, 666
—phenylamide, for *Phytophthora* and *Plasmopara*, resistance prevention, 1405
—resistance dynamics, simulation analysis, 1729
—ryegrass crown rust control, rates and application, 1728
—spray adjuvants, for *Botrytis* on grape, 1148
—triazole, silicon-containing, biologically active compounds, 988
—wheat and barley foliage, plot design, 990
Fungicides (specific) (see also Fungicides, general)
—benomyl, *Venturia inaequalis* populations resistant to, parasitic fitness, 1600
—benomyl and mancozeb: effect on apple scab, 86; for flax pasmo, 805
—benzimidazole and dicarboximide, for *Botrytis* on bulbs in Washington and Oregon, 1237
—bitertanol, apple leaf fine structure affected by, 1739
—carbendazim phosphate, Dutch elm disease control, 707, (709)
—chlorothalonil, irrigation water application, yield and foliage residue, 642
—cymoxanil, to control metalaxyl-resistant pathogens of potato, tomato, and cucumber, 1283
—cyproconazole, effect on *Rhizoctonia, Sclerotium*, and *Fomes*, 1702
—fenarimol and flusilazol, in apple leaves, factors affecting uptake, 1564
—flusilazol, mode of action, 986
—hexaconazole: broad spectrum disease control, 1748; for turf disease, new, 1770
—metalaxyl: attenuation on potato leaves, acid rain and time effect, 401; bioassay for large numbers of small leaf samples, 237; biodegradation in soil, 986
—thiabendazole hypophosphite, Dutch elm disease controlled by, 707, (709)
—thiram and aluminum, effect on *Scleroderma* spp., 1735
Funk, C. R., 1733
Fusarium spp.: on *Baccharis* spp., in Brazil, roots and rhizospheres, toxigenicity, 584; in corn and chicken feed, fusarochromanone in, 1698; on millet from Nigeria, Lesotho, and Zimbabwe, distribution, 1617; in soil of southern Africa, 1702; in soils of Transkei, Southern Africa, 1615; taxonomy, strain identification and DNA probes, restriction fragment length polymorphisms, 669; toxins extracted from, toxicity to rats, 1698
—*F. graminearum*, on corn roots, tillage effect, 1775
—*F. moniliforme*: mutants of, chlorate-resistant, nitrate-utilizing, 1772; self-incompatibility, heritability, 1710
—*F. oxysporum*: on banana, races, vegetative compatibility, 1703; on celery, crop residue effect on survival and soil populations, 381; on celery, race 2, resistant somaclone progeny, 1763; chlamydospore germination, Fe level and siderophore-producing pseudomonads effect, 1057; compatibility groups, 1696; on crucifers, strain relatedness measured by DNA, 1289; mutants from, *F. moniliforme* comparison, selenate resistance, 1710; nitrate nonutilizing mutants of, vegetative compatibility, 1640; pathogenic and nonpathogenic strains, origin and relatedness, 1710; on pea, races 1 and 5, cultivar response, colonization, and infection, 1737; on tomato, callose in vascular tissue, light and temperature studies, 1692; transformation system, 1696; vegetative-compatibility groups, 1711; on watermelon, phenol-oxidizing isozyme expression, races, 639; on watermelon, soil suppressiveness induced by cultivar, 607
—*F. sambucinum*, trichothecene toxin production, genetic system, 678, (679)
—*F. solani*: kievitone hydratase and differential mRNA transcription induced in, 1756; on pea, disease resistance induction, chitosan relation, 100; on peas, hollow heart relation, 1533; on peas, transformation using cutinase promoter, 1740; protoplast transformation using electric-pulse treatment, 1740; on soybean, occurrence and pathogenicity, 1702; on soybean, sudden death syndrome relation, 1689
—*F. tricinctum*, enniatin production by, wheat seeds affected by, 1483

Gabor, B. K., 533
Gabriel, C. J., 92
Gabriel, D. W., 448, 1696
Gabrielson, R. L., 1238
Gadoury, D. M., 117, 1509, 1614, 1700
Gaeumannomyces graminis
—*Acinetobacter* and *Pseudomonas* antagonistic to, common gene products, 641
—on wheat: generations of inoculum, 1002; soil matric potential and cell motility effect, 286, (290)
Gallian, J. J., 1715
Galuska, D. A., 1767
Gamliel, A., 1715
Gardiner, W. E., 1231
Gardner, C. O., Jr., 1764
Garibaldi, A., 1721
Garnsey, S. M., 543, 1743
Garrabrandt, L. E., 117
Garran, S., 1729
Garraway, M. O., 1701, 1740
Garrett, K. A., 1708
Gay, C. J. A., 1775
Geballe, G. T., 123
Gendloff, E. H., 57
Genetics of microorganisms, gene-for-gene system, specificity, letter to editor, 55
Georgakopoulos, D. G., 1725
George, H. L., 117
George, R. A., 1238
George, S., 1748
Geranium
—*Pseudomonas syringae* leaf spot of, symptoms, 1620
—Pythium root rot of, mortality and nutrient salts, 986
Gergerich, R. C., 1765
Gerik, J. S., 261, 1732, 1759
Gerik, T. J., 1647, 1657, 1744
Gerlach, W. L., 1704
German, T. L., 1776
Ghabrial, S. A., 371, 1763
Ghate, S. R., 643
Gibberella spp.
—*G. pulicaris*, trichothecene produced by, genetic system for, 678, (679)
—*G. zeae*, toxigenic virulent and non-toxigenic avirulent strains, mycotoxins, 1693
Gilbert, G. S., 1687
Gilbertson, R. L., 1718
Gilchrist, D. G., 80, 1754
Gildow, F. E., 986, 989, 1619, 1706, 1743
Gillaspie, A. G., Jr., 1768
Gilliam, C. H., 1733
Gilliam, C. S., 1728
Gingery, R. E., 1051, 1743
Gintis, B. O., 1688
Giorda, L. M., 641, 1731, 1762
Gisi, U., 1405
Gitaitis, R. D., 611, 641, 1694, 1713, 1729
Gladstone, L., 986
Gleason, M. L., 140, 371, 1152
Gliocladium virens
—biocontrol agent for *Rhizoctonia* on cotton, mycoparasite, 992, (993)
—*Rhizoctonia* mycelium metabolic leakage induced by, 699
Globodera rostochiensis, host resistance in management of, 1613
Gloeophyllum spp.
—*G. saepiarium*, hydrogen peroxide production by, 988
—*G. traveum*, hydrogen peroxide production by, 988
Goates, B. J., 1738
Goff, W. D., 491
Goheen, A. C., 543, 1427
Gold, R. E., 1740
Gold, S. E., 1718
Goldberg, K.-B., 162, 1704
Goldberg, N. P., 1736
Golino, D. A., 954
Gomez-Luengo, R. G., 1705, 1732
Gonsalves, D., 119, 120, 122, 123, 560, 985, 1427, 1765
Gooding, G. V., Jr., 60
Goodman, R. N., 915, 1725
Goodwin, P. H., 1710
Goodwin, S. B., 1710
Gopinath, K., 1719, 1728
Gordon, D. T., 1705, 1732, 1743

Gordon, T. R., 1696
Goth, R., 986, 988
Gotlieb, A. R., 1615
Gottwald, T. R., 1729
Gough, F. J., 640, 641, 1720
Gough, K. H., 1740
Gould, A. B., 1714
Gould, S. L., 1697, 1776
Goulty, L. G., 115, 119
Gowda, S., 1704
Gracen, V. E., 957
Gradis, W. H., 1748
Graham, J. H., 1691, 1735
Graham, T. L., 1739, 1756
Grant, B. R., 691
Grape
—angular leaf scorch of, factors affecting symptoms, 1619
—*Botrytis cinerea* on, spray adjuvant effect, 1148
—closterovirus infection, ultrastructure, 1765
—crown gall: occurrence, 641; root-specific decay of two species, 1424, (1425, 1426); systemic spread in vascular system, 915, (916-918)
—leaf roll disease: closterovirus-like particles, detection, 122; cytopathology, particle purification and serology, 1427, (1429-1431); monoclonal antibody production, 120
—microclimate in leaf canopy, Botrytis bunch rot relation, 1700
—Phomopsis cane and leaf spot of, pruning effect, 1699
—Phomopsis fruit rot of, infection time, 1618
—Pierce's disease, vascular occlusion and water stress association, 1710
—powdery mildew of, cleistothecium inoculum source in New York, 1509, (1510, 1512, 1513)
—root decay, *Agrobacterium* cause, 115
—stem-pitting disease, dsRNA from, 1242
—Thompson Seedless, nematicide tests, 1239
Grasmick, D. L., 623
Grau, C. R., 1521, 1689
Graves, C. H., Jr., 641
Gray, F. A., 1237
Gray, L. E., 1724, 1746
Gray, S. M., 1742
Green ring mottle virus, in *Prunus* spp., 1721
Greenberger, A., 1663
Greenblatt, G. A., 1769
Greene, G. M., II, 1762
Greenhalgh, B., 117, 1761
Gregory, G. F., 1771
Griesbach, J. A., 1242
Griffin, D., 115, 1727, 1757
Griffin, G. D., 1238
Grinberger, M., 1283, 1729
Grisham, M. P., 1730, 1742
Grogan, R. G., 407
Gross, D. C., 1036, 1241, 1720, 1753
Gross, K. C., 1762
Groth, J. V., 1395, 1761, 1772
Groundnut (see also Peanut), rosette of, dsRNA association, 1731
Grove, G. G., 1239
Grove, J. H., 1689
Gruber, T., 1614
Grybauskas, A. P., 986, 987, 989
Guan, Y. Q., 1746
Gubler, W. D., 1148, 1690, 1700
Gudmestad, N. C., 765, 1693, 1752
Gullino, M. L., 1721
Gumpf, D. J., 954, 1762
Gunasekaran, M., 1754
Gunasinghe, U. B., 1776
Gunning, D. A., 1775
Gunyuzlu, P. L., 1766
Guo, A., 1750
Guo, M., 584
Guthrie, W. D., 735
Hadden, J. F., 641
Hadwiger, L. A., 100, 1695
Haematostereum sanguinolentum, on fir and spruce, decay rate related to electrical properties, 811
Hagan, A. K., 1728, 1733
Hagedorn, D. J., 1718
Haglund, W. A., 1192
Halbert, S., 1239
Halik, S., 1615
Halisky, P. M., 115
Halk, E., 1740
Hall, R., 117, 1618
Hall, T., 1712
Hall, V. N., 1695
Halseth, D. E., 1712
Hamasaki, R. T., 985
Hamm, J., 641
Hammar, S. A., 1687, 1721
Hammell, R. L., 117
Hammer, W., 1239
Hammerschmidt, R., 1711, 1718
Hammond, J. J., 1021
Hammond, R., 1769
Hanada, K., 867
Hanania, J., 1751
Hanau, R. M., 1749, 1755
Hanchey, P., 589
Hancock, J. G., 1013, 1240, 1688, 1699, 1720, 1746
Handelsman, J., 1687, 1688
Handley, M. K., 1668
Hanna, W. A., 1772
Hanna, W. W., 293
Hannan, R. M., 1240
Hansen, D. R., 1739, 1764
Haque, I. U., 1725
Hardison, J. R., 1239
Harman, G. E., 1613, 1619, 1771
Harrington, T. C., 117, 124
Harris, A. R., 1239
Harris, K. F., 1704
Harrison, N. A., 1768, 1769
Hart, L. P., 57, 1693, 1697
Hartman, C. L., 1746, 1773
Hartman, G. L., 1690
Hartung, J. S., 282
Hartwig, E. E., 1713
Hattermann, D. R., 1725
Hattingh, M. J., 900, 1246, 1253
Haugen, L. M., 1757
Hausbeck, M. K., 1733
Havens, W. M., 1763
Hawes, M. C., 1241, 1693, 1736
Hawthorne, D. J., 431
Haygood, R. A., 1733
Hazen, B. E., 120, 1771
Headrick, J. M., 454, 1763
Heagle, A. S., 856, 1758
Heald, C. M., 1713
Heaney, S. P., 1770
Hebard, F. V., 1692, 1716, 1717
Heck, W. W., 856
Heflebower, R., 989
Hegwood, C. P., Jr., 641
Heiniger, U., 1726, 1755
Helgeson, J. P., 1709, 1736
Hellmann, R., 1617
Helminthosporium spp.
—*H. carbonum*: culture method by top-agar overlay, 1749; gene expression and light-induced conidiation, 1755; on potato, phytoalexin elicitation, 1217
—*H. victoriae*, 190S virus from, transcript of dsRNA, 1763
Helms, K., 1297, 1704
Hemming, B. C., 1775
Hendrix, F. F., 1691
Hendrix, J. W., 1689
Hendson, M., 1758
Henry, M. J., 986
Hepfer, C., 1688
Hepp, R. F., 1239
Herbicide, antidotes, effect on sorghum downy mildew, 1530
Hering, T. F., 1104
Herr, L. J., 1688
Hershman, D. E., 1689
Hess, D. E., 215, 220
Heterobasidion annosum, on birch, cell wall lignin distribution, 684, (689)
Heterodera spp.
—*H. glycines*: esterase polymorphism in, genetic analysis, 1696; host range, 989; race 3, cultivar rotation sequence effect, 1714
—*H. schachtii*, salivation induced in, 1463, (1465-1468)
Hewings, A. D., 515, 987
Hewitt, J. D., 1113
Hibben, C. R., 118
Hibberd, A. M., 1304
Hibino, H., 473, 871
Hibiscus chlorotic ringspot virus, electrophorotypes of, detection and comparison, 845, (847)
Hickey, K. D., 86, 122, 1600, 1614, 1615, 1691, 1762
Hiebert, E., 1743
Highley, T. L., 988, 1756
Higley, P. M., 1719
Hildebrand, D. C., 1688
Hilf, M. E., 1774
Hill, J. H., 52, 571, 1706, 1765
Hill, K., 1740
Hill, R. R., Jr., 1615
Hill, T. C., 246
Hinch, J. M., 346
Hindal, D. F., 985, 987, 1726
Hine, R. B., 1240, 1713, 1715
Hipskind, J. D., 1751
Hirano, S. S., 1078, 1694, 1709
Hiratsuke, Y., 1717
Hiruki, C., 995, 1732, 1764
Hobbs, G., 1764
Hobbs, H. A., 136, 1624, 1766
Hodges, C. F., 1280, 1734
Hoefert, L. L., 1596
Hoffman, K., 1768
Hoffmann, J. A., 594, 1700
Hoitink, H. A. J., 755, 1206, 1707, 1708
Holen, C., 1758
Hollier, C. A., 1773
Holt, J. S., 1703
Hopkins, D. L., 607, 641
Horner, W. E., 552, 557
Horst, R. K., 118, 120, 123, 655, 1734
Hosford, Jr., R. M., 1021
Host-pathogen interaction, model for assessing, horizontal pathosystem, 241
Hotchkiss, M. W., 1776
Houston, D. R., 118, 123, 1615
Howarth, A. J., 1764
Howell, C. R., 992, 1720
Hower, A. A., 1616
Howie, W. J., 286, 1708
Hoy, J. W., 1723, 1730
Hrabak, E. M., 1697
Hruschka, W. R., 745
Hsu, H. T., 1764
Huang, D., 1760
Huang, H.-C., 987, 1687, 1753
Huang, J. S., 1746
Huang, Y., 1736
Huber, D. M., 1715, 1745
Huckle, N. R., 1721
Hudelson, B. D., 1751
Huhndorf, S. M., 1761
Huisman, O. C., 261, 1688, 1734
Hulse, M. M., 1752
Hume, D., 121
Hung, H. Y., 1725
Hung, S. Y., 118
Hunger, R. M., 1739, 1764
Hunt, R. E., 1743
Hunter, B. B., 987
Hunter, J. E., 1709
Huot, C. M., 1770

Hurtt, S., 987
Hurtt, S. S., 845
Hutcheson, S. W., 987, 989, 990, 1750, 1753
Hwang, B. K., 232
Hwang, I., 1695, 1709
Hyakumachi, M., 1758
Hybridoma, anti-cauliflower mosaic virus, formation, B cell populations, 1238
Hypoxylon spp.
—*H. atropunctatum*, on oak, development, 1757
—*H. mammatum*, on aspen clones, tissue culture system for assessment, 1727

Ichida, J. M., 1771
Igwegbe, E. C. K., 987
Illman, B. L., 1754
Ilot, T. W., 1381
Impson, L., 1769
Inaba, T., 1621
Inglis, G. D., 115
Ingram, D. M., 1239, 1715
Inoculum dispersal, raindrop impact on plant surfaces, methods, 226, (231)
Inskeep, P. M., 1714
Integrated pest management, potato early dying models, 579
International food production, APS role, 37
Ireland, K. F., 1712, 1763
Iron, chlamydospore germination affected by, *Fusarium* suppressed by pseudomonads, 1057
Isakeit, T., 1716
Isleib, T. G., 742
Israel, H. W., 118, 1071
Issoufou Kollo, A., 1750
Iwaki, M., 867

Jackson, A. O., 1705
Jackson, N., 119, 1734
Jacobi, J. C., 1716
Jacobi, W. R., 1726
Jacobsen, B. J., 1687
Jacobson, D. J., 1696
Jacobson, J. S., 401, 564
Jafri, A. M., 1722
Jakobi, S., 1756
James, A. C., 1726
James, T. D. W., 122
Jang, J. C., 1734
Janisiewicz, W. J., 481, 987, 1776, 1777
Jardine, D. J., 823, 1774
Jarupat, T., 442
Jarvis, B. B., 584, 980
Jarvis, N., 1740
Jarvis, W. R., 1712
Jaynes, J. M., 1768
Jeffers, D. P., 1742
Jeffers, S. N., 1475
Jeger, M. J., 125, 128, 1537, 1542, 1647, 1657, 1717, 1731
Jenns, A. E., 1701
Jensen, S. G., 1764
Jeschke, N., 1615, 1620
Jessel, W., 118
Jewell, F. F., Sr., 1718
Jiang, Y. P., 949, 1615, 1726
Jimenez A., L. G., 1769
Jin, X., 1735
Joaquim, T. R., 1750
Johnson, C. S., 987, 1118, 1741
Johnson, D. A., 1241
Johnson, D. R., 1721
Johnson, H. A., Jr., 1117
Johnson, J. L., 1766
Johnson, K. B., 1495
Johnson, L. F., 1062
Johnson, N., 1693
Johnson-Cicalese, J. M., 1733
Johnston, R., 1239
Johnston, S. A., 117, 1749
Jones, A. L., 941, 1564
Jones, J. B., 1713, 1725
Jones, J. P., 519, 1712, 1713
Jones, M. E., 1615
Jones, R. K., 1138
Jones, R. W., 1240, 1720
Jones, S. B., 266
Jonsson, C. B., 1736
Jordan, R. L., 1764
Juniperus scopulorum, canker disease, new in Kansas, 1717

Kabatina juniperi, on juniper, progenies resistant to, 1726
Kackley, K. E., 987
Kadish, D., 1729
Kaiser, W. J., 1240, 1242
Kalb, D. W., 118, 1613
Kaper, J. M., 808
Karasevicz, D., 118, 1615, 1619
Karchi, Z., 1724
Karr, A. L., 1753
Karr, D. B., 1753
Kartaatmadja, S., 1765
Katan, J., 1663, 1711, 1715
Katz, B. H., 115, 1424
Kaul, K., 1723
Kawalek, M. D., 1240
Kawamoto, S. O., 118
Kazmierczak, P. J., 1720, 1739
Ke, J., 1615, 1619
Keane, K. D., 119
Kebler, K. M., 1609
Keeling, B. L., 1738
Keen, N. T., 506, 1718
Keinath, A. P., 1615, 1715
Kelemu, S., 1753
Keller, N. P., 1754
Kelley, A. C., 29
Kelman, A., 991, 1709, 1767
Kendall, S. T., 641
Kendall, T. L., 1742
Kendra, D. F., 100, 1695
Kenerley, C. M., 520, 1647, 1657, 1744, 1745
Kenfield, D., 1240
Kenigsbuch, D., 1724
Kennedy, B. W., 1708, 1730
Kerr, A., 463
Kessler, K. J., Jr., 1756
Keyser, G. C., 1158
Khalif, H. M., 1763
Khan, M., 1706
Khan, R. A., 1706
Khan, V., 1698
Khorram, S., 1699
Khudair, M. A., 1731
Kiernan, J. M., 1704
Killebrew, F., 1702
Kim, B. S., 1777
Kim, K. K., 616, 1720
Kim, K. S., 935, 1427, 1765
Kim, S. H., 1691
Kim, S. K., 1747
King, P., 71
Kingsland, G., 1689
Kingsolver, C. H., 1741
Kinkel, L., 1698
Kinloch, B. B., 1242
Kirby, H. W., 887
Kirkpatrick, B., 1769
Kistler, H. C., 1289, 1696, 1700
Klarman, W. L., 54
Klein, R. E., 1240
Kleiner, W. C., 1615
Klein-Gebbinck, H. W., 1717
Klenke, J. R., 735
Klich, M. A., 739
Klittich, C. J. R., 1640, 1710, 1772
Kloepper, J. W., 121
Klopmeyer, M. J., 909, 1767
Knibbe, E. N., 120
Knievel, D. P., 1616
Knight, W. E., 643
Knittel, R., 1616
Knoche, K. K., 1364, 1758
Knoke, J. K., 148
Knox-Davies, P. S., 1387
Knudsen, G. R., 1118, 1695, 1771
Ko, W. H., 1711, 1734, 1759
Kobayashi, D., 1718
Kober, S. K., 1715
Koch, D. O., 1647, 1657, 1771
Koenig, R., 486
Koh, Y. J., 232
Kohut, R. J., 71, 75
Kokko, E. G., 1687
Kolattukudy, P. E., 1740
Kommedahl, T., 584, 980, 1697, 1771, 1775
Konai, M., 177, 1726
Kostka, S. J., 1768
Kotze, J. M., 669
Kraemer, M. E., 1690
Kraft, J. M., 1737
Krahn, K., 1740
Kramer, C. L., 1737
Kranz, J., 751
Kratochvil, R. J., 986
Krause, C. R., 1438, 1758, 1771
Krausz, J. P., 1747
Krischik, V. A., 986
Krupczak, D. L., 1616
Krupinsky, J. M., 760, 1718, 1737
Kubicek, Q. B., 1691, 1725
Kuĉ, J. A., 1032, 1217, 1692, 1723, 1736, 1737, 1751
Kucharek, T. A., 641
Kuhlman, E. G., 1718
Kuhn, C. W., 136, 643, 703, 1624, 1722, 1731
Kuhn, D. N., 1736, 1760
Kumar, R., 1695
Kuntz, B., 119
Kusek, C. C., 116, 1691
Kuser, J., 116
Kutchaw, T., 121
Kuter, G. A., 1206
Kuti, J. O., 1697
Kwok, O. C. H., 1206, 1707
Kyle, M., 119

Labrinos, J. L., 1699
Lacy, M. L., 381, 1698, 1712, 1761, 1763
La Grenada, C., 1698
Lai, X., 799
Laird, D. W., 1746
Lakshman, D. K., 995
Lakshminarasimham, C., 1695
Lakshminarayana, S., 1674
Lalancette, N., 86, 1600, 1699
Laliberté, M., 121
Lalitha, B., 1751
Lamb, R. C., 1551
Lambert, M. R., 1739
Lambert, R., 1777
Lamka, G. L., 1706
LaMondia, J. A., 119, 1735
Lampe, D. J., 725
Lamppa, R. S., 1762
Landschoot, P. J., 119, 1734
Lane, L. C., 1704
Langenberg, W. G., 1742
Langham, M. A. C., 1765
Lanter, J. M., 1699
Lapointe, S. L., 819
Larez, C. R., 1021
Larkin, R. P., 607
Larsen, P. O., 1697
Lartey, R., 642
Latin, R. X., 1775
Laurence, J. A., 71, 331
Law, M. D., 1731
Lawrence, G., 1702, 1714
Lawson, T. T., 1717, 1727
Lawton, M. B., 119
Lay, C. L., 805
Layton, A. C., 1760
Layton, M. B., 1690, 1707
Lazo, G. R., 448
Leach, J. E., 1736, 1750, 1753, 1766, 1767
Leach, S. S., 1616
Leaf area, diseased, mactablet use for measurement, 1767

Lear, B., 1242, 1744
Leary, J. V., 1694, 1696
Leath, K. T., 1615, 1616, 1618
Leath, S., 642, 1737, 1741
Leavitt, G. M., 1690
Leben, S. D., 1592
Lee, E. J., 1777
Lee, I.-M., 177, 1769
Lee, J. G., 442
Lee, K. W., 1765
Lee, L., 121
Lee, M. H., 1749
Lee, R. F., 543, 640, 1427, 1743
Lee, Y.-W., 980
Leete, R. E., 119
Legard, D. E., 1503, 1709
Lei, C. H., 1706
Lei, J. D., 1726, 1769
Leiner, R. H., 1609, 1777
Lennê, J. M., 1704, 1730, 1741
León, P., 1317
Leonard, K. J., 1692, 1737, 1738
Leone, I., 117, 123, 1761
Leong, S. A., 1289, 1718, 1772
Leptosphaeria spp.
—*L. korrae*, pseudothecia produced by, factors, 1239
—*L. maculans*, on rapeseed, incidence and severity in Ontario, 1618
—*L. nodorum*, on wheat, yield and component effect, 1326
Leptosphaerulina briosiana, on alfalfa
—resistance assessment, 964
—sampling procedures for severity determination, 157
Lesemann, D. E., 486
Leslie, J. F., 1640, 1689, 1710, 1772
Lesser, V. M., 856
LeTourneau, D. J., 1237
Letter to editor
—defoliation, disease, and growth, 393, 1495
—gene-for-gene system, specificity, 55
Lettuce
—aster yellows of, purification with chromatography, 1726
—damping-off, fungicides for control, 117
—downy mildew of, virulence genetics, 1381
—viruses of, weed reservoirs, 1618
Leucostoma spp.: mycelial reaction zones in species, methods, 1721; on peach, NaCl injury, along roadsides, 835
—*L. cincta*, on peach, dsRNA association, 1687
Leung, H., 1693
Levy, L., 1762
Levy, Y., 1692, 1738
Lewellen, R. T., 1759
Lewis, J. A., 131, 699
Lewis, K. J., 552, 557
L'Hostis, B., 119
Li, H. P., 988
Li, X. H., 1616
Liang, P. H., 988
Liao, C. H., 117, 118, 418, 673, 1725
Liddell, C. M., 1745
Liebman, J. A., 1734
Lifshitz, R., 121
Lightfield, A. R., 1754
Likins, T. M., 1771
Lillehoj, E. B., 1776, 1777
Lim, S. M., 1695, 1709, 1724
Lin, C. P., 376, 990
Lindahl, K. Q., Jr., 631
Linde, D. C., 1761
Lindemann, J., 882
Lindgren, P. B., 1695, 1718
Lindow, S. E., 1144, 1449, 1718, 1724, 1768
Lindsay, W. L., 1057
Line, R. F., 1237, 1729
Lipps, P. E., 1716, 1737
Lisianthus necrosis virus, on *Eustoma russellianum*, new necrovirus, 867, (868, 869)
Lister, R. M., 725, 1706, 1765
Littrell, R. H., 642
Liu, H. Y., 1732
Liu, L. -J., 1711
Liu, S.-H., 1766
Liu, Z., 1687
Livingston, W. H., 119
Lizardi, E., 1711
Lockhart, B. E. L., 571, 1731
Lockwood, J. L., 1716, 1735, 1758
Loesch-Fries, L. S., 1740
Löffler, H. J. M., 1758
Lojkowska, E., 1709
Lommel, S. A., 261, 1706, 1742
Long, R., 119
Loper, J. E., 1449
Lorbeer, J. W., 122, 123, 851, 1301, 1618, 1620, 1713
Loretan, P., 1698
Loria, R., 1615, 1715
Louie, R., 148
Louws, F. J., 119
Lowney, E. B., 1742
Lu, J., 1698
Lucas, L. T., 642, 712, 1721, 1728
Luhn, C. F., 1242
Luke, H. H., 1488
Lukezic, F. L., 988, 1615
Lumsden, R. D., 399
Lupin, nodulation and disease incidence in, seed treatment effects, 1616
Luttrell, E. S., 309, 1701
Lutz, A., 1240
Lyda, S. D., 1734, 1740
Lyons, P. C., 1750, 1751, 1754

Maas, J. L., 1774
MacDonald, W. L., 988, 1756, 1760, 1771
Mace, M. E., 1692
Mackey, B. E., 1606
Mackill, A. O., 1741
Mackill, D. J., 323
Maclean, D. J., 1760
MacNab, A. A., 117
Macrophomina phaseolina
—on cantaloupe, nematode relation, 1713
—corn and soybean isolates, host preference, 1689
—on *Euphorbia*, heat and moisture effect, 1703
—microsclerotia of, germination inhibited by rhizobia, 1758
—propagule density and spatial indices for, sampling, 1744
—sclerotial germination on seed, 1693
—in soil, spatial patterns and sampling strategy, 1126
—on soybean: cyst nematode effect on root colonization, 1774; microsclerotial germination in rhizosphere, 1716
—spatial pattern in North Carolina, 639
—variability in isolates of, 1702
Maczuga, S. A., 988
Madden, E. G., 120
Madden, L. V., 148, 226, 579, 921, 974, 1225, 1409, 1699, 1752
Maggio, R. C., 1717
Magnaporthe sp., on bluegrass, summer patch caused by, 1734
—*M. grisea*, on rice, recurrent selection for compatibility, 1693
Mahanti, N., 1755
Mahoney, E. M., 1615
Main, C. E., 1724, 1729
Maize chlorotic dwarf virus
—on corn, resistance and gene action, 1293
—leafhopper-borne, transmission specificity, infectivity, and ultrastructure, 1743
Maize (see also Corn)
Maize chlorotic mottle virus
—mixed infection with maize dwarf mosaic virus strain B, 162
—RNA, organization and translation, 1764
Maize dwarf mosaic virus
—on corn, upper and lower leaf surface inoculation, 1243
—epidemics of, temporal and spatial analysis, 148
—new hosts and taxonomic analysis of Mississippi species, 598
—sensitive and tolerant genotypes, 1731
—in sorghum: infection and spread in Texas, 1730; multiple regression analysis of resistance components, 1731
—strain specific proteins isolated from, 1764
Maize mosaic virus
—cytopathology and sites of virus assembly, 1732
—protein and serological reactions of three isolates, 1705
—replication and infection, 1705
Maize stripe virus
—capsid and noncapsid proteins, serological and biochemical properties, 196, *770*
—maize mosaic virus interaction with, 1051, (1052)
Maize yellow stripe, filamentous structures associated with, in Egypt, 1732
Majek, B. A., 1749
Majerzcak, D. R., 1696
Malik, Z., 1751
Malvick, D. K., 1709, 1740
Manicom, B. Q., 669
Manion, P., 115, 1727, 1757
Manji, B. T., 1241, 1749
Manning, W. J., 116, 119, 1616
Mansky, L. M., 1765
Manulis, S., 1718
Manuscript preparation, author's guide, 4
Maple
—leaf exposure to sulfur dioxide, sulfur accumulation, 1438, (1439, 1440)
—peroxidase activity in leaves of, acid spray effect, 1761
Maracuja mosaic virus, on *Passiflora edulis*, new in Peru, 486, (487-489)
Marchetti, M. A., 799
Marek, E. T., 1740
Maretzki, A., 1776
Margosan, D. A., 1606
Maria, E. R. A., 867
Marois, J. J., 1148, 1341, 1700, 1744
Marosy, M., 927
Marshall, D., 1699
Martin, C., 1736, 1747
Martin, E. M., 935
Martin, F. N., 1013, 1700, 1729
Martin, R. R., 1722
Martin, S. B., 969, 1733, 1735
Martinson, C. A., 735, 1719
Martyn, R. D., 639, 1736
Mason, T. L., 96
Massaquoi, R. C., 1723
Matejka, J. C., 1240, 1748
Matheron, M. E., 1240, 1748
Matsuda, Y., 815
Matsumoto, T. T., 639, 1730, 1775
Matteson, M. C., 1619
Matthews, L., 1737
Matthews, S. W., 1418
Matthysse, A. G., 1693
Mau, R. F. L., 985
Mauk, P. A., 1240, 1713, 1715
Maxwell, D. P., 1718
May, A. W., 1772
Mayer, J. S., 1770
McBeath, J. H., 1700, 1701
McCain, A. H., 1733
McCain, J. W., 1772
McCammon, S. L., 1769
McCarter, S. M., 643
McCarty, L. B., 1728
McClure, M. A., 1463
McComb, J. A., 346
McCormick, S. P., 1498
McCoy, D. L., 1694
McCraw, B. D., 1713
McDaniel, L. L., 1769
McDaniel, L. R., 1729

McDonald, M. R., 120
McGauley, B. H., 1615
McGawley, E. C., 1690
McGee, D. C., 1706, 1707
McGovern, R. J., 118, 120
McGrath, M. T., 120, 988, 1616, 1741
McGuire, J. M., 1714
McGuire, R. G., 1729
McInnes, T. B., 611
McIntyre, G. A., 1726
McKeen, C. D., 1744
McKiernan, M., 1755
McLaren, D. L., 1687
McLaughlin, M. R., 1766
McLaughlin, R. J., 1616
McLean, K., 1702
McLean, M. A., 1617
McMillan, B. D., 496, 501
McMullen, M., 1773
McNally, K., 1696
McNaughton, M. E., 828
McRae, K. B., 1181
McVey, M. A., 1101
Mebrahtu, T., 1690
Mehdizadegan, F., 1720
Meister, E., 1371
Melhuish, J., 1556
Melin, J. B., 1734
Mellano, M. A., 1711
Meloidogyne spp.: on corn, hybrid and inbred resistance, 1714; DNA-DNA hybridization, 1713
—*M. incognita*: on annual clover, yield response in field, 644; on clover, variation of pathogenicity, 1714; microorganisms deleterious to, screening method, 1746; salivation induced in, 1463, (1465-1468); on tobacco, detached leaves for resistance evaluation, 60
Melon, (see also Muskmelon), brown spot of, strain isolation and characterization, 511
Melouk, H. A., 640, 642, 1731
Melton, A., 642
Mendoza, H., 1747
Menetrez, M. L., 1692
Menge, J., 1240
Mengistu, A., 1521, 1702
Meredith, C. P., 1710
Merlo, D., 1740
Mernaugh, R. L., 1765
Meronuck, R. A., 1697
Merrill, W., 116, 118, 120, 123, 1614, 1617, 1620
Mester, E. H., 1688
Meyer, S. L. F., 309
Miao, V., 1693
Micales, J. A., 650, 988
Michailides, T. J., 251, 257, 1241, 1770
Michelmore, R. W., 1381
Micinski, S., 1728
Middleton, G. E., 1174
Mihail, J. D., 1126
Miles, G. E., 1775
Miles, J. W., 1730
Miles, M. R., 1724
Milgroom, M. G., 237, 401, 1729
Millar, R. L., 118
Miller, D. P., 1716, 1737
Miller, F. R., 1730
Miller, M. E., 642, 1712
Miller, O. K., 1739
Miller, R. V., 1695, 1720
Miller, R. W., 491
Miller, S. S., 990
Miller, W. A., 1704
Millet, Bipolaris leaf spot of, inheritance, 1772
Mills, D., 832
Mimosa, striped chlorosis of, new virus, 935, (935-939)
Mims, C. W., 1701
Mink, G. I., 1240
Minor, H. C., 1777
Mircetich, S. M., 1132
Mirocha, C. J., 584, 1697, 1698
Misari, S. M., 1731
Mischke, S., 1756
Mitchell, D. J., 1729, 1733, 1752
Mitchell, J. K., 1771
Mitchell, M. E., 1729
Mizumoto, C. Y., 1725
Moberg, W. K., 988
Mock, N., 1556
Models
—computer simulation, for Cercospora leaf spot of peanut, 1118
—disease prediction, leaf wetness sensor for moisture detection, 1752
—disease progress for powdery mildews, morphologically based, 1753
—exponential decay with asymptote, 401
—fungicide resistance selection in pathogen populations, 666
—host-pathogen interaction in horizontal pathosystem, assessment, 241
—*Phomopsis longicolla* on soybean, prediction of microclimate effect, 1162
—recombinant plasmid transfer in phyllosphere, prediction, 1695
—regression: alfalfa foliar diseases and yield, 887; coefficient of determination values, factors, 63
—tobacco viruses, temporal analysis, 974
—yield reduction assessment, potato early dying discrimination and regression, 579
Mogen, B. D., 1693
Mohamed, F., 1765
Mohan, S., 1617
Mohan, S. K., 1238, 1390, 1702, 1707
Mojdehi, H., 1745
Molecular biology, gene cloning, in *Erwinia carotovora*, pectolytic enzymes and polygalacturonases, 1199
Molecular hybridization, luteoviruses, serology and dsRNA comparison, 1766
Molina, G. C., 1747
Moline, H. E., 745, 1767
Moncrief, J. F., 1775
Monilinia spp.: benomyl-resistant populations of, stability and control, 1749; on stone fruits, fungicide control, 1241
—*M. fructicola*: germination and hyphal growth, bacterial effect, 1771; on peach, calcium treatment effect on pre- and postharvest, 1762; on peach, resistance, 776, (777, 779)
Monis, J., 1742
Monoclonal antibodies
—anti-idiotype use, 1765
—black rot application, 366
—dsRNAs specific for, 1743
—*Erwinia amylovora* identified and detected by, 376
—*Erwinia carotovora* subsp. *atroseptica* serogroup I, 828
—peanut mottle virus, production for, use in assays, 1158
—plant virus interaction, use of ELISA, 1764
—T-2 toxin affected by, from *Fusarium*, 57
Montasser, M. S., 120, 1743
Moore, K. E., 1716
Moore, L. D., 1739
Moore, L. W., 1709, 1770
Moore, R. A., 1767
Moorman, G., 986
Morales, F. J., 196
Morelli, L. T., 655
Morgan-Jones, G., 1733
Morris, T. J., 1330, 1705
Mort, A., 1719
Morton, J., 1735
Moss, M. A., 863, 1712
Mosse, B., 1045
Motes, J. E., 640
Motta, J. J., 1756
Mount, M. S., 117, 122
Moussatos, V. V., 1754
Moyer, J. W., 1731, 1742, 1746
Mu, L., 1704
Mucor piriformis
—in soil, colonization, sporulation, and persistance, 257
—survival, temperature and moisture effect, 251, (255)
Muehlchen, A. M., 1687
Mueller, W. C., 1692
Mugnier, J., 539, 1045
Mullen, J. M., 1733
Müller, W. J., 1297
Mullin, R. H., 1330
Mullins, C. A., 1712
Mullins, J. A., 1712
Munkvold, G. P., 1703
Munnecke, D. E., 1690
Murakishi, H. H., 1705, 1747
Murphy, J. F., 1705
Murray, T. D., 1237, 1744
Muskmelon, (see also Melon), disorders of, expert system for diagnosing, 1775
Muthukumarasamy, R., 1695
Mycena citricolor, on coffee, oxalic acid produced by, 780, (782, 784)
Mycoplasmalike organisms
—in ash and elm, ELISA for detection, 116
—in ash and lilacs, in arboreta, 118
—aster yellows of lettuce, organism purification, 949, (951, 952)
—detection using cloned riboprobe, 1769
—leafhopper-transmitted virescence agent, characteristics, 954, (955)
—maize-bushy-stunt, DNA probes for detecting, 1769
Mycorrhizae, vesicular-arbuscular
—in Brazilian soil, 1736
—on *Convolvulus sepium*, use of transformed root-inducing T-DNA, 1045, (1046-1049)
—germination and root penetration, 1735
—spore viability procedure, 1760
Mycosphaerella spp.
—*M. caryigena*, on pecan, ecology and epidemiology, 491
—*M. fijiensis*, on banana: incidence and severity of leaf spot in Taiwan, 1537; rate of development in Taiwan, 1542; toxin production, 1747
—*M. pomi*, on apple, biology and epidemiology, 431, (432)
Mycotoxins (see also Phytotoxins)
—aflatoxin: in corn kernels, fungus interactions, 1777; estimate of toxin concentration, 1776; flavonoid-type compounds from peanut shells, 1560; tannin compounds on peanut seed coats, 1703
—cercosporin: fungi resistant to, 1515; regulation by growth medium components, 1701
—deoxynivalenol, in grain, monoclonal antibodies for, 1697
—echinulin and vomitoxin, in swine feed, 1777
—T-2 toxin, monoclonal antibody production, 57
—trichothecenes: in *Baccharis*, 980; *Fusarium* and *Baccharis* relation, 584; *Fusarium sambucinum* producing, genetic system, 678
Myers, D. K., 1737
Myers, T. D., 990
Myrothecium spp., on *Baccharis* roots, trichothecene production, 980
—*M. roridum*, on muskmelon, macrocyclic trichothecene effect, 1697
Myzus persicae, on potato, potato virus Y transmitted by, resistance effect, 819

Nabben, D. J., 1715
Nachmias, A., 506
Nakashima, J., 1743

Nameth, S. T., 1722
Nash, B. L., 414
Nault, L. R., 1051, 1743
Nawaz, M., 1754
Nayudu, M. V., 1719, 1728
Neate, S. M., 1241
Nectria spp.
—*N. cinnabarina*, on olive, canker caused by, 1756
—*N. haematococca*, phytoalexin tolerance in pathogenesis, gene control, 1693
Neely, D., 1761
Nelson, B., 1759
Nelson, C. L., 121
Nelson, D. R., 1757
Nelson, E. B., 1108, 1708
Nelson, E. L., 1717
Nelson, P. E., 655, 1615, 1617
Nelson, S., 1740
Nemec, S., 1714, 1735
Nephotettix virescens, rice tungro virus vector, resistance, 871; vector, 473
Nesmith, W. C., 1729
Newhouse, J. R., 988, 1760
Newnam, M. R., 642, 1728
Ng, T. J., 1697
Nicholson, H. L., 1751
Nicholson, R. L., 1750, 1754, 1775
Nickerson, N. L., 1774
Nicot, P. C., 875, 1346
Niederhauser, J. S., 37
Niedz, R. P., 1747
Niessen, A. I., 196
Nolt, B. L., 92
Nolte, P., 765
Nordin, J. H., 96
Norelli, J. L., 1551, 1694
North, L. N., 1617
Northover, J., 835
Novacky, A., 1750, 1751
Nus, A., 1717
Nutter, F. W., Jr., 642, 643, 1699, 1700, 1722
Nyczepir, A. P., 1775

Oak
—defoliation by gypsy moth, fungal succession patterns, 118
—dendroclimatic examination, in South Carolina, 1716
—element concentrations in xylem of, near power plant, 119
—wilt: biological and chemical control in Texas, 1717; epidemiological analysis, system, 1717
Oats
—barley yellow dwarf virus and *Pyrenophora* infections, yield effect, 989
—yield affected by *Pyrenophora* and barley yellow dwarf virus, 1619
Obituaries
—Leonard J. Alexander, 519
—Armin C. Braun, 991
—Charles Drechsler, 399
—Charles Leonard Fergus, 1370
—Samuel Forest Jenkins, Jr., 54
—William H. Muir, 52
—A. J. P. Oort, 1369
—William H. Ridings, 53
—Harold E. Thomas, 1117
Odvody, G. N., 641, 1530, 1762
Ogawa, J. M., 251, 257, 275, 776, 1241, 1749, 1770
Ogle, W. L., 642
Ohki, S. T., 995
Okie, W. R., 1774
Okra mosaic virus, African strains, differentiation, 987
Olah, A. F., 1689
Olaya H., G., 1704
Oldfield, G. N., 954
O'Leary, A. L., 1564
O'Leary, D. J., 1735
Oleson, A. E., 1693
Olive, J. W., 643
Oliveira, E., 1736
Olsen, J., 1241
Olsen, M. W., 1748
O'Malley, D., 124
O'Neill, N. R., 1751
Onions
—Botrytis leaf blight: fungicidal control and sequential sampling, 123; fungicides for and forecasts, 1620; fungicide timing sequential sampling plan, 1301
—pink root, fungicides for, 1712
—rot from *Geotrichum*, 642
—storage rots of, ionizing and ultraviolet radiation for, 1698
Onogi, S., 867
Onyike, N. B., 1617
Or, G., 1725
Orange, viroid detection in, transmission to chrysanthemum, 210, (211, 212)
Orchardgrass, Stagonospora leaf spot of, Weibull distribution of lesion size, 715
Ornamentals, acidic irrigation effect on, 1734
Orr, D. B., 1707
Osmeloski, J. F., 401, 564
Osorio, J. A., 1707
Osorio, J. M., 1241
Ostlie, K. R., 1775
Ostrinia nubilalis, on corn, resistance to and disease resistance, 735
Ostrofsky, W. D., 1617
Otjen, L., 684
Otrosina, W. J., 1360, 1757
Ouchi, S., 815
Overman, A. J., 1712
Overton, S. V., 990, 1739
Ovulinia azalea, overwintering and spread, 121
Owen, D. R., 631

Pableo, E., 1713
Pace, C. S., 1712
Pacumbaba, R. P., 1690
Padgett, B. G., 643
Padgett, G. B., 1722
Paguio, O. R., 703
Palmer, M. A., 944, 1717, 1760
Palmgren, M. S., 1560
Palukaitis, P., 1756
Panaccione, D. G., 1755
Panopoulos, N. J., 1695, 1718, 1768
Papa, K. E., 1624
Papavizas, G. C., 131, 616, 699, 1720, 1756
Papaya ringspot virus
—mutant of, DNA complementary to, 119
—type W, relation to zucchini yellow fleck virus, 1722
Pappu, H. R., 1764
Parent, J., 1122
Park, E. W., 1777
Parke, J. L., 1687, 1688, 1702
Parker, B., 1615
Parlevliet, J. E., 549
Parmeter, J. R., Jr., 631
Partridge, A. D., 1237
Passiflora edulis, tobamovirus in Peru, new, 486, (487-489)
Pastian, M. R., 1696
Pastor-Corrales, M. A., 1699
Pataky, J. K., 454, 887, 1066, 1763
Pathan, M. A., 1706
Pathogen transmission rates, estimation by group testing, 363
Patton, R. L., 1618, 1761
Paulitz, T. C., 335, 341, 1707
Pavek, J. J., 1238, 1702
Paxton, J. D., 1703
Payne, G. A., 1731
Peach (see also *Prunus* spp.)
—bacterial spot of, temperature and moisture effects, 1709
—black discoloration, transit injury and EDTA treatment, 1241
—*Botryosphaeria* spp. on, tree vigor effect, 1691
—brown rot resistance in, 776, (777, 779)
—Eastern X-disease, monoclonal antibodies for, 1615
—*Leucostoma* spp. on, wound response and susceptibility, 1690
—*Leucostoma* and NaCl injured plants, winter injury, 835, (837)
—nematode relation to management, 1775
—oxytetracycline to induce X-disease remission, microinjection method, 1618
—packing operations, bacteria for brown rot control, 1776
—physiological changes in, horticultural factors, 1774
—Phytophthora root and crown rots, in Great Lakes region, 1691
—rhizopus rot, biocontrol with *Enterobacter*, 303, (304)
Peanut (see also Groundnut)
—Cercospora leaf spot of, computer simulation model, 1118
—chlorotic ringspot, virus cause, 1731
—defoliation and disease gradients, *Cercosporidium* cause, 1699
—early leaf spot, sporulation factors, 960
—flavonoid-type compounds in shells of, aflatoxin depressed by, 1560
—late leaf spot: disease assessment schemes, 1700; host-parasite relations, 1701; rate-reducing effect of fungicide, 642
—leaf spot of, yield loss, letter to editor, 393
—*Meloidogyne* and *Pythium* interaction, 1713
—*Meloidogyne* and *Rhizoctonia* relation, concomitant infections, 1714
—rust of, ultrastructural study, 1701
—rust and leafspot, detection with radiometer, 643
—Sclerotinia blight of, dicarboximide fungicide for control, 1028
Peanut green mosaic virus, suppression by: bavistin, physiology, 1719; chemicals, 1728
Peanut mottle virus
—detection using dot-blot immunobinding assay, 1746
—monoclonal antibodies of, characterization, 1742
—monoclonal antibody production for, use in ELISA and dot-immunobinding, 1158
—resistance to, 640
Pear
—fruit decay control, prestorage heat treatment, 1578
—fruit russetting, epiphytic bacterium association, 1724
Pearson, C. A. S., 1689, 1774
Pearson, R. C., 117, 1509, 1614, 1619, 1699, 1700
Peas
—Aphanomyces root rot of, crucifer amendment for, 1687
—disease resistance response genes, 1695
—fungal pathogens of, genes encoding pisatin demethylating activity, 1755
—Fusarium root rot of, resistance to, 121
—hollow heart, plant and pathogen factors, 1533
—resistance to *Fusarium solani*, chitosan relation, factors, 100
Pecan, downy spot, ecology and epidemiology, 491
Pedersen, W. L., 735
Pederson, G. A., 644, 1714
Pe'er, S., 201
Pell, E. J., 1616
Pellett, N. E., 1615
Pemberton, I. J., 643
Penicillium spp.
—*P. digitatum*, imazalil sensitivity, biotypes, 1728
—*P. expansum*: on apple fruit, resistance to infection, 1674; biocontrol on apple, 981; polygalacturonase produced by, cell wall

calcium and tissue maceration relation, 1762
Pennisetum americanum
—bacterial leaf streak, causal agent, 1766, 1767
—smut on near-isogenic lines of, inoculation and pollination effect, 293
Pennucci, A., 121
Pennypacker, S. P., 117, 120, 988, 1616, 1733, 1741
Pepper (see also (*Capsicum* spp.)
—transplants of, *Pseudomonas* and *Xanthomonas* mixed infections, 611
—virus-resistant cultivar, 644
Percich, J. A., 1770
Peregrinus maidis, maize stripe and maize mosaic virus vector, interaction, 1051
Perez, B. A., 1763
Perez, J. M., 988
Pérez, Y., 1760
Peronosclerospora spp., on corn, sporulation of three species, 438, (440)
—*P. sorghi*, on sorghum: herbicide antidote effect, 1530; soil environment effect, principal component analysis, 128; soil factors and inoculum density affecting incidence, 125
Peronospora spp.
—*P. tabacina*: growth on leaf surfaces, fluorescent technique, 201, (202, 207); spores of, nonspecific adhesions, 1692; on tobacco, duvatriene-diols role in susceptibility, 1723; on tobacco, systemic resistance to, tissue culture method, 1032
—*P. trifoliorum*, on alfalfa, minor gene resistance in diploids, 1763
Peroxidase, wound-induced, relation to lesions on pistachio fruit, 275, (276-279)
Perry, K. L., 1756
Perry, R. G., 121
Person, C. O., 1697
Pesic, Z., 1732
Pesticides, registration for minor uses, 1770
Pestka, J. J., 57, 1697
Peters, R., 1618
Peterson, C. M., 642
Peterson, G. L., 438, 639, 1725
Peterson, G. W., 1726
Peterson, J. L., 121
Peteya, D. J., 1166
Pettit, R. E., 1703
Pfahler, P. L., 1488
Pfender, W. F., 1213, 1749, 1758, 1771
Phaeocryptopus gaumanni, on Douglas-fir, pathological anatomy, 116
Phaeoisariopsis griseola, in bean seed, transmission, 1707
Phanerochaete chrysosporium, hydrolytic enzymes in, peat effect, 1754
Phaseolus spp., (see also Bean), bacteria from leaves, serological variation, 1763
—*P. lunatus*, *Rhizoctonia solani* on, isolate characterization, 748, (749, 750)
—*P. vulgaris*: angular leaf spot, bean-corn intercrops, 1699; bacterial brown spot and halo blight of, sources and management in Colorado, 1503; bacterial brown spot disease of, bacterial ice nucleation as predictor, 1078; bacterial brown spot of, nonrandom patterns, 1751; common blight of, sulfur dioxide effect on, 331; common blight, semi-selective medium for pathogen isolation, 730; leaf protein in, virus-induced hypersensitive reaction, 1765; plasmalemma sucrose transport in, effect of pseudomonad on, 1573; *Pseudomonas syringae* on, host plasma membrane, K^+/H^+ exchange, 1273; *Rhizoctonia* on hypocotyls of, lesion border lignification, 589, (590-592); Rhizoctonia root rot of, protection by binucleate *Rhizoctonia*, 1548, (1549); rust of, partial resistance, 1101; rust of, resistant germ plasm, 989
Phatak, S. C., 643
Phellinus pini, on birch, cell wall lignin distribution, 684, (687)
Phialophora gregata, on soybean, seasonal progress and soybean productivity, 1521
Phillips, D., 691
Phillips, D. J., 1241, 1606
Phillips, D. V., 1706, 1773
Phipps, P. M., 639, 1028, 1748
Phlebia tremellosus, on birch, cell wall lignin distribution, 684, (687)
Phoma spp.
—*P. lupini*, on lupine, in Peru, 1774
—*P. medicaginis*, on alfalfa: primary root pathogen, 1618; sampling procedures for severity determination, 157; yield prediction model, 887
Phomopsis longicolla
—on soybean: microclimate effect, model for prediction, 1162; soil moisture and temperature effect, 1152
—on soybean seeds, serological detection, 371
Phylloplane, fungal immigration in, dynamics and community development, 1698
Phymatotrichum omnivorum
—on cotton, plant density effect, 1657
—in row crops, spatial dynamics, 1647
—sclerotia, translocation from cotton plants, 1734
—sclerotial germination, in clay soil, 1745
—strand development by, 1744
Phytoalexins
—pisatin: *Aphanomyces euteiches*, sensitivity reduced by lipids, 771; demethylation by fungi on peas, 116
—in potato by *Phytophthora* and *Helminthosporium*, 1217
—in quaking aspen, 119
Phytomonas davidi, cultivation in serum-free media, 177
Phytophthora spp.: growth and sporulation, sodium tetrathiocarbonate effect, 1240; life cycle, asexual stages, surfactant effect, 112; taxonomic analysis, clustering methods with monoclonal antibodies, 1750; zoospore movement in soil, mathematical model, 1753
—*P. arecae*, on bamboo palm, root rot, 1733
—*P. cactorum*: on apple, distribution in Pennsylvania, 1691; chlamydospore production by, 1702; in soil, detection methods, 1475, (1478); on strawberry, splash dispersal of pathogens, method, 921; on strawberry fruit, splash dispersal by foliage drip, 1699; zoospores lysed by *Bacillus*, cation effect, 1687
—*P. capsici*: on cotton, chili, and pumpkin in Arizona, 1713; mycelial growth and pathogenicity, dinitroaniline and amide effect, 1749; on pepper, captafol effect, 1752
—*P. cinnamomi*: on avocado, histological changes, 691, (693-696); on avocado, screening method for resistance, 841; on callus tissue, expression of field resistance, 346, (349, 350); in cranberry, population studies, 1618; on *Eucalyptus*, phloem water relations, 246; on Fraser fir seedlings, distribution and disease progress, 520; on loblolly and shortleaf pine roots, infection response, 1734; on roots of *Banksia* and *Eucalyptus* spp., temperature-growth relations, 661; soils suppressive to, in Hawaii, 1759
—*P. cryptogea*, zoospores in soil, dispersal by water flow, 1744
—*P. infestans*: fitness in, methods for evaluating, 1696; nuclear DNA content of 23 isolates, cytophotometric analysis, 1620; oospore germination, light and volatile compounds for stimulation, 1755; oxadixyl mixtures for control, selection pressure, 1728; on potato, acid rain effects, 969; on potato, acidic mist effect on infection and sporulation, 564; on potato, phytoalexin elicitation, 1217; on potato, superoxide anion generation, 645; on potato and tomato, phenylamide fungicide resistance, 1405; potato yield reduced by, 116; resistance to metalaxyl, fitness, 1729; virulence, genetic control, 122
—*P. megasperma*: diagnostic detection with monoclonal antibodies, 1775; heterokaryon formation, protoplast fusion, 1760; host specificity lack among isolates, 1132; on soybean, metalaxyl effect on virulence, 1703; zoospore lysis by *Bacillus*, 1688
—*P. palmivora*, on vanilla, root rot, 1704
—*P. parasitica*: chemical-resistant mating types, phenotypic behavior, 1711; oospore germination in, induction, 1759; propagule recovery in soil, degree day effect, 1240; on sweet orange seedlings, mycorrhizal role and fertilizer, 1735; oospore germination in, induction, 1759; propagule recovery in soil, degree day effect, 1240; on tobacco, resistance and development in field, 1090; on tomato, resistance comparison, 1113; on tomato, soil-water extraction effect, 1744
—*P. syringae*, oospore production, low temperature effect, 1701
Phytotoxins (see also Mycotoxins)
—AAL-toxin, tomato resistance to, 80
—cerato-ulmin, from *Ceratocystis ulmi*, ELISA for screening organisms producing, 96
—syringomycin, yeast plasma membrane affected by, 297
—viridiol, viridin converted to, 1240
Pierce, M., 1719
Pierson, P. E., 1737, 1756
Pike, L. M., 642
Pine
—black-stain root disease of, allozyme analysis in variants, 1360
—blister rust of, *Ribes* control effect, 1617
—*Endocronartium harknessii* on, benodanil for control, 1620
—fusiform rust of: resistance and inoculum density, 1186; resistance and multiple symptoms, 1726
—loblolly, terpenoids from, fungal growth affected by, 83
—lodgepole, Armillaria root rot spread, in Alberta, 1717
—needle blight: fungi association in Northeast USA, 1614, 1617
—ponderosa: bark beetle fungi pathogenic to, 631, (633); black stain disease, root pathogen interaction, 1237
—Scots and eastern white, *Verticicladiella procera* on, colonization patterns, 557
—seed orchard, seedborne fungi in cones and netting, 1758
—*Sphaeropsis sapinea* on, isolate variation in north central USA, 944
—white, Procera root disease, propagule distribution in soil, 552
Pineapple
—mealybug wilt, virus association, 1776
—propagation, callus induction, and regeneration, 1711
Pinkas, Y., 841
Pinnell, H. D., 1727
Pinnow, D. L., 1706
Pinus spp. (see Pine)
Pirone, T. P., 974, 1409
Pisi, A., 1774
Pisolithus tinctorius, on Scotch pine seedlings, landfill gas effect, 123
Pistachio, lesion development in fruit, peroxidase activity, 275, (276-279)
Plant diseases (see also Disease)
—new sourcebook for pathogenic fungi, 1701

—variation affected by climate, methods for quantifying, 1729
Plaskowitz, J., 1700
Plasmids, DNA sequences conserved, 448
Plasmodiophora brassicae, on *Brassica* spp., *Polymyxa* relation to DNA of *Agrobacterium*, 539
Plasmopara spp.
—*P. halstedii*, on sunflower, leaf immersion technique, 121
—*P. viticola*: on grape, phenylamide fungicide resistance, 1405; sporulation, model for predicting, factors, 1699
Platt, H. W., 1181
Plattner, R. D., 1483
Ploetz, R. C., 786, 1703, 1733
Ploioderma hedgcockii, on longleaf pine needles, histopathology, 1718
Plum, bacterial canker, systemic invasion, histopathology, 1253, (1254-1256)
Plum pox virus, detection by cloned cDNA probe, construction of, 1221
Podleckis, E. V., 1618, 1722
Podosphaera oxyacanthae, on cherry leaves, survival, 1239
Pohronezny, K., 1712
Pokorny, J. D., 1697, 1776
Polito, V., 1674
Pollution
—acid rain, effect on potato: *Alternaria* and *Phytophthora*, 564; leaf blight and disease progress components, 969; metalaxyl relation, 401
—acid rain and drought stress in field corn, 1616
—air, ozone and sulfur dioxide, on wheat: physiological effect, 75, yield loss, 71
—maple leaves exposed to sulfur dioxide, sulfur accumulation, 1438, (1439, 1440)
—NaCl, injury to dormant peach trees, 835
—ozone: chemical effect in oak roots, with acid rain, 1618; moss growth in forest soil, 1727; pine seedlings affected by, ultrastructural effect, 1758; plant injury assessed with ethylenediurea, 1761; soybean chlorophyll content affected by, 117; tobacco yield decreased by, 856; white pine response, 116
—ozone and sulfur dioxide: on birch and pine seedling mycorrhizae affected by, 119; phylloplane fungi affected by, 1761; on wheat, physiology, 75; on wheat, yield loss, 71
—salt spray, woody stems predisposed to canker, 1761
—sulfur dioxide, common blight of kidney bean affected by, 331
Polymyxa spp.
—*P. betae*: clubroot vector, relation to DNA of *Agrobacterium*, 539; host range, in California, 1759; on sugarbeets, relation to rhizomania, 1759
—*P. graminis*, zoospore movement, soil texture and matric potential, 1758
Pool, R., 1427
Pope, D. D., 1697
Popenuck, T. L., 1242, 1717, 1757
Poplawsky, A. R., 1719
Population explosion, annual meeting plenary session, 29
Poris medulla-panis, on birch, cell wall lignin distribution, 684, (689)
Portier, K. M., 1713
Postharvest pathology
—bacterial taxonomy, 745
—blue mold of apple, biocontrol, 981
—pear fruit decay, prestorage heat treatment for, 1578
—soft rot and *Xanthomonas*, fruits and vegetables in markets, 418
—vegetable spoilage, soft rot bacteria causing, 673
Postia placenta
—growth prevented by ornithine decarboxylase, 1754
—hydrogen peroxide production by, 988
Potato
—aerial stem soft rot, plant density effect, 1710
—bacterial ring rot, field detection, 1085
—early blight: fungicide and severity, 988; resistance in, disease screen for, 1749; seedling screening test for resistance, 1747
—early dying of, yield loss prediction, 579
—germ plasm with multiple resistance to major viruses, 1238
—late blight: acid rain effects, 969; cymoxanil to metalaxyl-resistant pathogens, 1283; and host resistance, 1614; yield and total intercepted light, 1741; yield loss, letter to editor, 393
—leaf proteins from, pathogenesis-related proteins, 1122
—metalaxyl for, attenuation by acid rain, 401
—phytoalexin elicitation by *Phytophthora* and *Helminthosporium*, 1217
—*Phytophthora infestans* on, superoxide anion generation, 645
—powdery scab, incidence and severity, 985
—primary and secondary viruses, in the Jordan Valley, 1731
—protoplast-derived calli, *Erwinia* culture filtrate effect, 1768
—pseudomonad effect on growth and control by *Verticillium*, 1592
—rhizobacteria of, colonization patterns, 1093
—Rhizoctonia black scurf, seed piece treatments for, 1712
—rhizosphere pseudomonads, disease relation, 1720
—scab and rhizosphere relation, inoculum density effect, 1615
—soil fumigation for wilt resistance, 1238
—Verticillium wilt of: resistance methods, 1702; stem colonization related to inoculum density in soil, 1346
Potato chlorotic stunt virus, in Iran, new rhabdovirus, 1731
Potato leaf roll virus
—DNA of, identification and mapping, 1704
—ELISA test and latex, 1743
Potato spindle tuber viroid, strain separation by electrophoresis, 1588
Potato virus S, genomic RNA, characterization, 1742
Potato virus X, detection by nucleic acid spot hybridization, 1764
Potato virus Y
—ELISA test for, 1743
—transmission, aphid-resistant potatoes related to, 819
Powell, C. A., 306, 986, 1743
Powell, W. A., 1696
Powelson, M. L., 1710, 1768
Powers, T. O., 1714
Prasad, V. Siva, 1719
Pratt, R. G., 643, 1707
Pratylenchus penetrans, on potato, yield reduction models with *Verticillium*, 579
Prescott, J. M., 639, 1730, 1775
Proebsting, Jr., E. L., 1036
Proffer, T. J., 941
Protomyces gravidus, mycoherbicide for ragweed, 639
Prunus spp. (see also Cherry, Peach, and Plum), tomato ringspot virus on seedlings of, mechanical transmission, 560
Pscheidt, J. W., 1618, 1699
Pseudomonads, fluorescent, populations in soil and plants, characterization, 1688
Pseudomonas spp.: fluorescent, on canola seedling roots, host reponse, 1166, (1167-1172); pectolytic, soft rot of vegetables in markets, 673; on potato, survival on seedpieces, treatment for, 1241; in soil and citrus rhizosphere, amendment effect, 1714; on wheat roots, relation to take-all infected roots of wheat, 1002
—*P. avenae*: bacterial leaf stripe of millet, in Nigeria, 1766; synonymy with *P. rubrilineans*, 1766
—*P. cichorii*, on chrysanthemum, leaf distribution and control, 1732
—*P. corrugata*, mutants of, ethyl methanesulfonate treated, cosmid library, 1696
—*P. fluorescens*: antifungal compound biosynthesis in, factors affecting, 1708; disease suppression by, role of phenazine, 1724; potato plant growth and *Verticillium* control by, 1592; soft-rot strain, transposon mutagenesis, 118; spatial-temporal colonization pattern, on potato roots and tubers, 1093; on strawberry, biocontrol and frost protection, 882; take-all suppressed by, soil matric potential effect, 286; on wheat roots, biovar V, 1002
—*P. putida*, siderophore production, Fe effect on chlamydospore germination, 1057
—*P. solanacearum*: genes encoding virulence in, molecular cloning, 1772; necrosis-inducing factor produced by, in potato callus tissue, 1736
—*P. syringae*: on barley, epiphyte, 1725; on bean, fluorescent pigment production on leaves, 1449; on bean, growth in leaf tissue, 832; on bean, host plasma membrane, K^+/H^+ exchange, 1273; on bean, plasmalemma sucrose transport alteration in, 1573; on bean, recA mutation in, phenotypic effect, 1697; on bean, sources and management in Colorado, 1503; in bean seed, detection assay, 1707; on bean seed, detection on selective medium, 1390; on cherry, systemic invasion, histopathology, 1246, (1247-1250); copper resistant genes in, nucleotide sequence, 1711; on cucumber, mutants, characterization and resistance, 1718; epiphyte on beans, copper effect on, 1708; fimbriae in, 1633; on fruit trees, characterization by pathogenicity and numeric analysis, 900; ice nucleation-active, suppression by bacteria in orchards, 1036; ice nucleation gene, fusion effect, 1718; isolates giving null reaction, other isolate suppression, 1694; in maple, antibiotic resistant strain, survival and dispersal, 1709; molecular cloning of genes, tobacco hypersensitivity, 987; pathogenicity and hypersensitivity, locus control, 1695; on plum, systemic invasion, histopathology, 1253, (1254-1256); populations and pathovars of, molecular diversity, 1709; on rhizosphere of tobacco and wheat, 1758; on snap bean, bacterial ice nucleation in disease prediction, 1078; on snap bean, bean pod bioassay, 1709; on snap bean, rain-triggered multiplication, 1694; on sour cherry, ice formation role and infection, 173, (175); on soybean, motility, 1725; on strawberry, biocontrol and frost protection, 882; streptomycin resistance, conjugative plasmid association, 1694; syringomycin from, plasma membrane affected by, in yeast, 297; syringomycin from, genetic analysis, 1753; on tobacco, detached leaves for resistance evaluation 60; on tobacco, races 0 and 1 comparison, 1364; on tobacco, resistance screening technique, 1710; on tobacco, Tn5 mutants, hypersensitivity response, 1268; tobacco suspension culture cell interaction, 1750; in tobacco suspension culture cells, ionic response, 990; on tomato, avirulence gene, sequence analysis, 1718; on tomato, chemicals for, predictive system for timing, 823; on tomato, chlorosis-defective mutants of,

TN5, 1740; on tomato, ice nucleation and disease, 1729; on tomato, mutant characterization, 1767; on tomato, overwintering, 988; on tomato and pepper transplants, pectolytic xanthomonads in mixed infections, 611; on wheat, population dynamics, 1399, (1404); wheat leaf blight caused by, in Argentina, 1766
—*P. viridiflava*, mutation in, transposon-induced, pathogenicity determinants, 1725
Pseudoperonospora cubensis
—in melon, resistance marker, peroxidase activity, 1724
—in muskmelon, ultrastructure, 1751
—physiologic specialization in Cucurbitaceae, 1621
Pseudopeziza spp.
—*P. medicaginis*, on alfalfa, sampling procedures for severity determination, 157
—*P. trifolii*, on alfalfa, host-parasite relations, 309, (310, 311, 313-316), 1236
Pteridium aquilinum, *Ascochyta pteridis* on, environment and host susceptibility, 1144
Pu, X.-A., 1725
Puccinia spp., pathosystems on grasses, xenoparasite-nonhost reactions, 1488
—*P. canaliculata*, on nutsedge, plant age and photoperiod effect, 1721
—*P. graminis*: protoplast regeneration in mycelia of, 1760; on wheat, phenotypic diversity, measurement, 1395
—*P. hordei*, on barley: partial resistance, factors, 549; resistance sources, 1723
—*P. jaceae*, on safflower and *Centaurea*, in Turkey, 985
—*P. melanocephala*, on sugarcane, somaclonal variants, 1776
—*P. punctiformis*, on Canada thistle, infection by three spore types, 1754
—*P. recondita*: spore deposition, gradients near source, 1729; on triticale, slow leaf-rust resistance, 458; urediniospore deposition gradients, 1442; urediniospores of, detection in Louisiana, 1730; on wheat, survival in winter and spring, 1737; on wheat, temperature effect, 423, 1699
—*P. sorghi*: on corn, resistance related to growth stages, 454; on sweet corn, yield effect, 1066
Pueppke, S. G., 1241, 1719, 1758, 1767
Puhalla, J. E., 1750
Purcifull, D. E., 1722
Purdy, L. H., 1747
Pusey, P. L., 303, 1775, 1776
Pyrenophora spp.
—*P. teres*: on barley, effect on freezing hardiness, 1435; on barley, pathogenic variation, 1738; gramineous hosts of, 1242
—*P. tritici-repentis*: antibody stain for detection, 1749; biocontrol with basidiomycete, 1771; from *Bromus inermis*, pathogenic to wheat, 760; culture filtrates of, toxin specificity in, 1337; in northern Great Plains, pathogenicity, 1737; pseudothecium and ascospore production by, nutrient response, 1213; on wheat, bacteria antagonistic to, characterization, 1720; on wheat, host specificity of phytotoxin from, 1739; on wheat, interaction with *Cochliobolus sativus* on leaves, 1355; on wheat, wet period and temperature effect, 1021
Pyricularia spp.
—*P. grisea*, on ryegrass, infection factors, 863
—*P. oryzae*: antiblast compounds for, melanin biosynthetic reactions inhibited by, 1769; on rice, adult-plant resistance, 232; on rice, resistance inheritance, 323, 799; resistance to benomyl, 666
Pythium spp.: on barley, wheat, peas, and lentils, temperature and plant residue effect, 1239; on cucumber, population dynamics and biocontrol, 755; damping-off, rhizobacteria for control, nutrient competition, 190; damping-off, suppression by bacteria, 1707; damping-off, suppression by microbial activity, 1708; life cycle, asexual stages, surfactant effect, 112; protection against antibiotics by cholesterol, 319; sporangial germination, seed germination and volatile relation, 1108; on sugar beets, in Texas, 1735; taxonomic aid for, mitochondrial DNA, 1700; toxic metabolites produced by, 1745; on wheat, root rot control by soil treatments, 1192, (1196, 1197); on wheat embryos, seed age and soil matric potential, 1104
—*P. aphanidermatum*, on turfgrass, metalaxyl failure, 121
—*P. arrhenomanes*, toxin produced by, multicomponent, 1745
—*P. dissotocum*, zoospores of, chemotaxis in root cap cells of cotton, 1736
—*P. graminicola*, fluorescent pseudomonads antagonistic to, tillage effect, 1716
—*P. nunn*: biocontrol for Pythium damping-off of cucumber, soil environment and organic amendment effect, 341; Pythium damping-off of cucumbers controlled by, population dynamics and disease suppression, 335
—*P. oligandrum*, on sugar beet, biocontrol agent for *P. ultimum*, 1013, (1016, 1017)
—*P. ultimum*: oospore germination and lysis, wall thickness, 1062, (1063); on peas, hollow heart relation, 1533, (1534); on sugar beet, *Pythium oligandrum* as biocontrol agent, 1013, (1016, 1017)

Qhobela, M., 1766, 1767
Qian, P., 1062
Quinn, J. A., 1753

Raabe, S. D., 1774
Raba, R. M., 75
Raccah, B., 974, 1409
Radice, A. D., 1714
Rahe, J. E., 1715
Rahimian, M. K., 1747
Rajotte, E. G., 1691
Ramaley, A. W., 1726
Ramirez, B. C., 989
Ramírez, P., 1317
Ramos, L. J., 1311
Ramsdell, D. C., 167, 1721, 1745
Ramundo, B. A., 1766
Randhawa, P. S., 1732, 1768
Randles, J. W., 791
Rane, K. K., 123, 1620
Rao, A. L. N., 995
Rao, D. V., 780
Rao, M. N., 1723, 1736
Rapeseed (see also Canola), *Alternaria brassicae* on, phytoalexin-elicitation, 1703
Rasmusson, D. C., 1724
Raspberry
—late yellow rust of, in Nova Scotia, 1774
—orange rust, fungicides for control, 1615
Ratliff, J. L., 990
Ravelonandro, M., 1221
Rawlings, J. O., 856
Rawn, C. D., 319
Raymer, P. L., 1706, 1773
Red clover, root decline, role of root borer and *Fusarium*, 1735
Red clover necrotic mosaic virus
—genome organization and DNA cloning, 1706
—strains of, new serotype and antigenic relations, 995
Red clover vein mosaic virus, on alfalfa, occurrence in breeding lines, 1732
Reddy, M. S., 1715
Reeleder, R. D., 327, 1620
Reeser, P. W., 1768
Regner, K. M., 1241
Reich, P. B., 75
Reichard, D. L., 226, 1699
Reilly, C. C., 1774, 1775, 1776
Rella, M., 1758
Resistance
—almond to *Ceratocystis fimbriata*, wound periderm, 1174
—apple: to *Botrytis* and *Penicillium* in wounded fruits, 1674, (1675, 1676); to fire blight, virulence effect, 1551
—avocado to Phytophthora root rot, detached root inoculation method, 841
—barley: to leaf rust, factors, 549; to loose smut, 533, (535-537); to scald, races, 352
—bean to rust, partial, 1101
—*Brassica campestris* to *Albugo candida*, minor genes, 527
—*Capsicum annuum* to bacterial spot, hypersensitivity, 1304
—corn: to anthracnose stalk rot, major gene, 957; to disease and corn borer, 735; to maize chlorotic dwarf virus, gene action, 1293
—cowpea to southern bean mosaic virus, 1624
—disease progress curve related to index, 1181
—durability of, 241
—fungi to fungicides, selection model, 666
—peach to brown rot, 776
—peas to *Fusarium solani*, induction factors, 100, (104)
—pine seedlings to fusiform rust, 1186
—rice: to blast, inheritance, 323, 799; to leaf blast, 232; to tungro viruses, experimental and natural conditions, 871
—soybean to cowpea chlorotic mottle virus, 703
—sweet corn to rust, growth stage relation, 454
—tobacco to black shank, 1090
—tomato: to *Alternaria* and AAL-toxin, 80; to Phytophthora root and crown rot, 1113
—triticale to leaf rust, 458
Rettinger, J. C., 1775
Reuveni, R., 1724
Reviewers, acknowledgment of, 1
Reynolds, K. L., 331
Reynolds, K. M., 226, 921, 1699
Rhizobacteria
—on apple rootstocks, growth promoting and fungus inhibition, 1583
—on canola and soybean, growth-promoting effect, 121
—colonization patterns of, on tubers and roots, 1093
—Pythium damping-off controlled by, nutrient competition, 190
Rhizobium fredii, on cowpea, early response, 1719
Rhizoctonia spp.: on bean and soybean plants, lesion reduction with sprays, 641; on *Centrosema*, in Colombia, 1704
—*R. solani*: anastomosis group 9, characterization, 1609, (1611); anastomosis groups in, genetic diversity, 1613; on bean, biocontrol with *Rhizoctonia*-like fungus, 1548, (1549); on bean, lesion border lignification, 589, (590-592); biocontrol by *Gliocladium virens*, on cotton, 992, (993); on Centipede and St. Augustine grass, patch characterization, 1733; on cereals, pectic enzyme patterns for identification, 1241; on cotton, bacterial seed treatment for, 1708; on cotton, infection cushion development, 619, (620, 621); hyphal permeability changes, *Trichoderma* and *Gliocladium* causing, 699; inoculum potential, organic matter and cellulose amendment effect, 1708; isolate anastomosis, categorization, 1777; on lima bean, isolate characterization in New York, 748, (749, 750); on potato, anastomosis groups and

pathogenicity in Peru, 1736; on radish, monoculture effect in Hawaiian soils, 1734; on rice, crop rotation effect on inoculum, 1138; on ryegrass, resistance, 1733; on snap bean, type 2 and AG-4 in conservation tillage, 1744; on sugar beets, binucleates associated with, 1715; vegetative incompatibility in, 1619
—*R. zeae*, in soil, baiting technique for isolation, 712
Rhizopus stolonifer, on peach, biocontrol with *Enterobacter*, 303, (304)
Rhizosphere
—competence: *Trichoderma harzianum*, 182; *Trichoderma* mutants, saprophytic ability and cellulolytic activity, 358
—*Fusarium* spp., in *Baccharis* spp., 584
Rhoads, M. L., 1767
Rhodes, D. J., 1241, 1720
Rhodes, L. H., 1737
Rhodotorula pilimanae, plasma membrane of, *Pseudomonas* phytotoxin effect on, 297
Rhopalosiphum padi
—virus-infecting, plant reservoirs, 1706
—on wheatgrass, feeding behavior and resistance, 725
Rhynchosporium secalis: populations, isozyme analysis, 1710; races of, resistance to and distribution, 352
Ribonucleic acid
—cucumber mosaic virus strain D and satellite, 808
—hibiscus chlorotic ringspot virus, other viruses compared to, 845, (847)
Ricard, J., 1756
Rice
—blast of: computer simulation model and effect on yield, 1777; resistance inheritance, 323, 799; water deficit and yield components, 1741
—disease resistance, somaclonal variation, potential, 1723
—hydathode water pore plugging in, *Xanthomonas campestris* effect, 1750
—leaf and neck blast resistance, correlation between, 1723
—leaf blast of, adult-plant resistance, 232
—sheath blight: crop rotation effect on inoculum density, 1138; resistance, epicuticular wax relation, 1723
—tungro-associated viruses, infectivity neutralization, leafhopper vectors, 473
Rice hoja blanca virus, capsid and noncapsid proteins, serological and biochemical properties, 196, *770*
Rice, R. E., 275
Rice tungro virus, resistance, experimental and natural conditions, 871
Rich, A. E., 121
Richards, W. C., 96
Richey, M. G., 1740
Richins, R. D., 1668, 1704
Richter, D. L., 1735, 1760
Ried, J. L., 1719
Riedel, R. M., 579, 1722
Ries, S. M., 909, 1725
Riggs, J. Z., 1734
Riggs, R. D., 1714
Rigling, D., 1755
Riley, K., 1237
Rimmer, S. R., 1687
Ripley, B. D., 119
Risius, M. L., 1614
Rist, D. L., 1618
Ritch, D. L., 1620
Rivera, L., 989
Robbs, S. L., 1241
Roberson, R. W., 1702
Roberts, R. G., 1259
Robertson, S. R., 1749
Robeson, M., 1718
Robinette, D., 1693
Rodriguez, J., 1762
Rodriguez, R., 1618
Roelfs, A. P., 1395, 1761, 1763
Roistacher, C. N., 442
Roitman, J., 1776
Roland, T. A., 1757
Romaine, C. P., 1321
Roos, I. M. M., 900, 1246, 1253
Rosa-Márquez, E., 1711
Rose
—blackspot, fungicides for control, 1728
—rose rosette, in Indiana, 987
Rosenberg, K. A., 121, 1618
Rosenbrock, S. M., 1689
Rosenkranz, E., 598, 1243, 1293
Rosner, A., 669
Rossman, A. Y., 1701
Rothrock, C. S., 1773
Rotkis, P. T., 1703
Rouse, D. I., 875, 1078, 1346, 1703, 1751
Rovira, A. D., 1241
Rowe, R. C., 579, 1750
Roy, K., 1702
Royer, M. H., 989, 1730, 1775
Rufty, R. C., 60, 1710, 1724
Rumbaugh, M. D., 1238
Rumpf, T., 1617
Rupe, J. C., 1192, 1689, 1693
Rush, C. M., 1533, 1735, 1745
Rush, M. C., 1723
Rushing, A. E., 1231
Russell, W. A., 735
Russin, J. S., 1690, 1707
Russo, V., 1751
Ryegrass
—endophytic fungi in seeds of, factors affecting, 893
—*Pyricularia grisea* on, infection factors, 863
—seed treatment fungicides for, washing effect on residual activity, 1728

Sabet, K. K., 1771, 1775
Sackston, W. E., 121
Saettler, A. W., 1707
Safflower, Phytophthora root rot of, water uptake and root distribution, 1745
Safir, G. R., 1760
Sai Gopal, D. V. R., 1719, 1728
Salas, B., 1759, 1774
Sambandam, T., 1754
Samimy, C., 1613
Sammons, D. J., 986
Samoucha, Y., 1405, 1728
Sams, C. E., 1762
Sanborn, M. R., 1158, 1742
Sanchez, L. M., 1741
Sandall, L. J., 1714
Sanders, P. L., 121
Sandler, H. A., 1691
Sands, D. C., 1695, 1720, 1725, 1766
Sandvol, L., 1239
Sasaki, P. J., 1774
Sasser, M., 611, 730
Satyanarayana, T., 1719, 1728
Schaad, N. W., 1240, 1241, 1390, 1707
Schaedle, M., 1757
Schardl, C. L., 1740, 1756
Scharen, A. L., 1629, 1725
Schein, R. D., 1370
Schenck, N. C., 1735, 1736, 1760
Schenk, J., 1712
Scher, F. M., 121
Schieffer, J., 1618
Schilder, A. M. C., 121, 1613, 1619
Schmid, M., 1726
Schmitthenner, A. F., 755, 1689
Schneider, R. W., 1710
Schoelz, J. E., 1704, 1705
Schoettle, A. W., 75
Schreiber, L. R., 1770, 1771
Schroth, M. N., 1093, 1688, 1746, 1758
Schuh, W., 125, 128, 642
Schuurink, R. C., 987
Schwartz, H. F., 1503, 1708
Schwarz, M., 319
Schwenk, F. W., 1689, 1774
Schwinghamer, M. W., 205, 210
Scibilia, K. L., 1717
Scleroderris lagerbergii, conidia, detection with immunofluorescence, 121
Sclerotinia spp.
—*S. minor*: on peanut, dicarboximide fungicides for control, 1028; on peanut, dicarboximide resistance in, 639; on peanut, iprodione for, 1748; sclerotia, germination of, cold treatment and drying effect, 851, (852); sclerotia parasitized by *Sporidesmium*, 575
—*S. sclerotiorum*: on bean, apothecia as factor, 117; on bean, *Epicoccum* for biocontrol, 1620; on bean, resistance screening using calli, 1773; hypovirulence, debilitation, and double-stranded RNA in, 1613; mutants of, reduced host range, 1695; mycoparasite of sclerotia, 1759; nonsclerotial isolates of, auxotrophic, 1720; sclerotia of, fungi and arthropods recovered from, in soil, 327, (329); sclerotial germination and degradation by soil bacteria, 1759; *Talaromyces flavus* infection of sclerotia, ultrastructure, 1687
Sclerotium spp.
—*S. cepivorum*: sclerotial germination of, in muck soil, seed bacterization effect, 1715; sclerotia parasitized by *Sporidesmium*, 575
—*S. rolfsii*: on apple, survival and histology of infection, 643; nutrient stress effect in soil, 1758
Scorza, R., 560
Scott, G. E., 1243, 1293
Scott, H. A., 1765
Scott, J. W., 1725
Secor, G. A., 765, 1746, 1768, 1773
Secrest, L. R., 1700
Seed germination, volatile effect on *Pythium* sporangial germination, 1108
Seem, R. C., 1700, 1748
Seemüller, E., 173
Segars, S. B., 639
Sehgal, O. P., 1751, 1765
Semer, C. R., IV, 1729
Septoria spp.
—*S. glycines*, culture filtrates, soybean calli response, 1724
—*S. linicola*, on flax, yield and flower production relations, 805
—*S. musiva*, pathogenicity, 1718
—*S. nodorum*, on wheat, leaf and head resistance inheritance, 1371
—*S. tritici*: *Bacillus* and *Pseudomonas* spp. antagonistic to, common gene products, 640; bacterial antagonism to, 1720; on wheat, moisture and temperature effect, 215, 220; on wheat, resistance and generation mean analysis, 1629
Sequeira, L., 24, 1633, 1736, 1772
Serratia marcescens, chitinase genes from, molecular cloning, 1719
Shabeer, A., 1752
Shafer, S. R., 1758
Shaffer, W. H., 1752
Shaheen, F., 1697
Shain, L., 1692, 1716, 1717
Shane, W. W., 1399, 1742
Shaner, G., 215, 220, 458, 1723, 1763
Sharif, H. F., 1722
Sharp, E. L., 1723
Sharpe, R. R., 1774
Shattock, R. C., 122
Shaw, L. A., 1712
Shaw, P. D., 1695
Shea, S. R., 661
Shearer, B. L., 661
Shearman, R. C., 1728
Shefelbine, P. A., 1759
Shelby, R. A., 1701
Sheng, W-S., 511
Shepard, D. Petra, 1709

Shephard, M. C., 1748
Shepherd, R. J., 1668, 1704, 1705
Sherman, M. E., 1770
Sherwood, J. E., 1755
Sherwood, J. L., 640, 1158, 1713, 1742, 1764
Sherwood, R. T., 715, 930
Shew, H. D., 1090
Shiel, P. J., 1619
Shim, J.-S., 463
Shin, Y.-S., 1701
Shiroma, S. S., 1759
Shishkoff, N., 1713
Shoji, R., 815
Shokes, F. M., 786
Shortle, W. C., 811
Shukla, D. D., 1740
Shukle, R. H., 725
Shull, H., 1733
Sidebottom, J. R., 1716
Siegel, M. R., 140, 1723, 1736
Simeoni, L. A., 1057
Simonson, C., 121
Simpson, B. J., 640
Sinclair, J. B., 1687, 1690, 1698, 1706
Sinclair, W. A., 116, 1619, 1727
Singh, R. P., 1588
Singleton, C., 121
Singleton, L. L., 1745
Siqueira, J. O., 1736
Sisler, H. D., 985
Sitobion avenae, on wheatgrass, feeding behavior and resistance, 725, (728)
Sitton, J. W., 1192
Siva Prasad, V., 1728
Sivan, A., 1619
Sivasithamparam, K., 1002
Skaria, M., 1731
Skelly, J. M., 1614, 1615, 1617, 1619
Skinner, D. Z., 1763
Skopp, R. N., 1704
Slack, S. A., 1085, 1742
Sloderbeck, P. E., 1774
Smart, L. B., 1725
Smart, M. G., 1773
Smidt, M. L., 388
Smilanick, J. L., 594, 1700
Smith, B. D., 1733
Smith, B. J., 643, 1691
Smith, D. A., 1740, 1756
Smith, E. A., 115
Smith, F. D., 122, 1619, 1748
Smith, G., 117
Smith, G. R., 643
Smith, G. S., 1735
Smith, J. A., 1718
Smith, K. L., 989
Smith, K. P., 1751
Smith, K. T., 811
Smith, L. L., 96
Smith, O. P., 1704
Smith, S. S., 1705
Smith, V. L., 1727
Smith, W. H., 123
Snow cover measurement, automatic data recording, disk camera system, 927
Snow, J. P., 640, 1568, 1690, 1751, 1752, 1770
Sohi, H. S., 1768
Solarization
—growth response and microbial phenomena, 1715
—induced suppressiveness in soils by, 1663
—of soil, fertilizer application and effect on pathogens and plants, 1744
Somerville, S. C., 1755
Sommer, N. F., 1674
Sommerfeld, M. L., 989, 1619
Song, H., 1724
Sonoda, R. M., 1714, 1752
Sorensen, L. H., 1238, 1702
Sorghum
—downy mildew of: herbicide antidote effect, 1530; soil environment effect, principal component analysis, 128; soil factors and inoculum density affecting incidence, 125
—maize dwarf mosaic virus on, strain A, transmission frequency and symptom type, 639
—sudan hybrid, virus disease of, in Texas, 641
—virus diseases in hybrids of, new, 1762
Souciet, G., 1736
Southern bean mosaic virus, in cowpea
—genotypes, differential field infection, 136
—nonnecrotic resistance in, inheritance, 1624
Sowbane mosaic virus, serotypes of, identification, 571
Sowthistle yellow vein virus, molecular cloning of RNA, 1705
Soybean
—autofluorescence with toxin from *Diaporthe*, 1751
—bacterial blight, row spacings and planting systems, 1690
—bacterial pustule disease, microscopy of pustules, 266, (267-273)
—brown stem rot of: hill plot effect on resistance and yield, 1702; incidence, yield effect in Iowa, 1742; moisture concentration effect, 1746; physiologic response, 1719; seasonal progress and soybean productivity, 1521; survey and loss in Minnesota, 1776
—circadian leaf movements, light and temperature effect, 1730
—cowpea chlorotic mottle virus on, resistance to, 703
—cyst nematode: mitochondrial DNA diversity, 1714; race 5, resistance, 1713
—*Diaporthe* seed infection, consequences, 1706
—disease resistance pathways, induced and regulated, 1739
—freeze damage, germination and fungus relation, 1707
—glyceollin production in, response to metalaxyl resistant mutants of *Phytophthora*, 1755
—insect, stem canker, and cyst nematode relations with N_2 fixation, 1690
—Leptosphaerulina leaf spot of, in Missouri, 1689
—Mexican bean beetle on, ozone effect on resistance, 1690
—nodules of, phytoferritin from, purification, 1746
—pathogen inoculation effect on chalcone synthase mRNA, 1736
—*Phialophora gregata* on, tissue culture for resistance evaluation, 1746
—*Phomopsis longicolla* in seeds of, serological detection, 371
—Phomopsis seed decay of, soil moisture and temperature effect, 1152
—*Phytophthora* interactions with, cellular system for biochemical study, 1756
—Phytophthora root rot, metalaxyl concentration required, 1689
—red leaf blotch of, cause, 1690
—Rhizoctonia aerial blight of, epidemiology, 1752
—root rot, temperature and moisture effect, 1773
—seedling performance, seed and soil factors affecting, 140
—seed-lot quality and damping-off correlation, 1745
—seed microorganisms and stink bug feeding damage, 1707
—stem blight of, microclimate effect, model, 1162
—stem canker: free moisture effect, 1568; free moisture effect and maturity groups, 1773; infection factors, 786
—sudden death syndrome: cultivar and planting date effect, 1689; symptoms, *Diaporthe* isolation, 1738
Soybean dwarf virus, temperature effect on transmission and vector, 515
Soybean mosaic virus
—nucleotide sequence, 1766
—rabbit polyclonal antibodies, hybridoma antibody generation, 1765
—RNA, cloning of cDNA, 1765
—strains, protein comparisons in, 1763
Spadafora, V. J., 122, 1308, 1326
Specht, L. P., 1745
Sphaeropsis sapinea
—isolate variation in, in north central USA, 944
—selective medium for isolation, 1387
Sphaerotheca spp.
—*S. humuli*, on raspberry, management, 122
—*S. fuliginea*, on muskmelon, races 1 and 2 inheritance, 1724
Spiegel, S., 1492
Spielman, L. J., 122, 1696
Spilocaea pomi, on apple leaves, bitertanol effect on ultrastructure, 1739
Spiroplasma
—growth using egg yolk extract, 1769
—liposome and growth, 1726
Spiroplasma citri
—gene probe for identification and differentiation, 1614
—surface proteins, identification, 1726
Spiroplasmavirus, SVTS2 replicative form, cloning, 1769
Sporidesmium sclerotivorum, microbial pesticide agent, isolate comparisons, 575
Spotts, R. A., 1036, 1578
Sprott, A. M., 639
Spruce
—disease management practices, in tree nursery, 1717
—diseases and arthropod pests of, in North Dakota, 1757
—evaluation in plantations of three Northeastern states, 1619
—fir ecosystem, air pollution and decline in southern Appalachian mountains, 1717
—needle diseases in Switzerland, 1726
—nutritional disturbances in, in Northeastern states, 1615
—red, decay estimation and electrical resistance, 811
—root pathogens of, lead and trace metal effect, 123
—stunting of seedlings, shade and mulch effect, 1760
Spurr, H. W., Jr., 1118 1692, 1730
Squash leaf curl virus, vascular cell nuclei associated with, 1596, (1597-1599)
Sreenivasulu, P., 1719, 1728
Sriskantha, A., 1321
Stack, J. P., 1771
Stack, R. W., 1717, 1757, 1759, 1774
Stagonospora arenaria, on orchardgrass, Weibull distribution of lesion size, 715
Stall, R. E., 519, 611, 1304
Stambaugh, W. J., 414
Stanghellini, M. E., 112, 1736
Stanosz, G. R., 1727
Staples, R. C., 1760
Stapleton, J. J., 1242, 1744
Stark, J. C., 1238
Starr, J. L., 1138
Staskawicz, B. J., 1718
Stasz, T. E., 1619, 1771
Statler, G. D., 549, 1101, 1740
Stavely, J. R., 989, 1689
Steffenson, B. J., 1242, 1738
Steinberger, E. M., 1694, 1696, 1767
Steiner, P. W., 989
Steinke, J., 989
Stemmer, W. P. C., 1633
Stemphylium spp.
—*S. botryosum* on alfalfa: resistance assessment, 964; sampling procedures for severity determination, 157; yield

prediction model, 887
—*S. vesicarium*: on asparagus, etiology and epidemiology, 407, (408, 412); on onion, leaf disease in New York, 1713
Stenger, D. C., 1330, 1705
Stennes, M. A., 707
Stephens, C. T., 823, 1747, 1760
Stevens, C., 1696
Stevenson, W. R., 1749
Stewart, E. L., 944
Stienstra, W. C., 1775, 1776
Stipanovic, R. D., 1692, 1720
Stipes, B. J., 990
Stipes, R. J., 639, 650, 986, 990, 1028, 1748
Stockwell, V., 589
Stolle, K., 1692
Strandberg, J. O., 1008
Strawberry
—anthracnose crown rot: fertilizer effects, 1691; fungicides for, greenhouse evaluation, 643
—aphid-borne viruses of, pyrethroid insecticides for reducing, 1762
—*Botrytis* in flowers and fruits of, temperature and wetness effect, 1225
—frost protection by ice nucleation-deficient mutants of *Pseudomonas*, 882
—germ plasm resistant to *Phytophthora* and *Verticillium*, 1774
—gray mold fruit rot of, biological control, 1617
—red stele of, survey and control in Ontario, 119
—Rhizoctonia-like fungi in roots of, in Masssachusetts, 116
—root rot of, nematode and *Rhizoctonia* effect, temperature relation, 1735
—tobacco streak virus of, detection and characterization, 1330
Strawberry crinkle virus, dsRNA association, 1238
Strawberry mild yellow-edge virus, dsRNA in plants, 1492
Strawberry mottle virus, transmission on weed and host, 1239
Streptomyces spp.
—*S. ipomoea*, on sweet potato, root histopathology, 1418, (1419-1423)
—*S. scabies*, population dynamics, in potato soil, 1715
Streptomycetes (see also Actinomycetes), in pine rhizosphere, mycorrhizal response, 1760
Stretch, A. W., 1613
Strobel, G., 1240
Strobel, N. E., 1619
Stromberg, E. L., 986, 990
Struble, D., 1617
Stuckey, R. E., 140, 1689
Stuteville, D. L., 1763
Subba Rao, K. V., 1730, 1752
Suberin, in xylem of 17 tree species, wound reaction zones, 718, (720-723)
Subterranean clover red leaf virus, light intensity effects, 1297
Sugar beet
—*Corynebacterium sepedonicum* on, symptomless host, 765, (768)
—leachates from, germination inhibition and fungistatic activity of, 1715
—Rhizoctonia crown rot, biocontrol agents, 1688
Sugarcane
—nitrogen fixing microorganisms of, host response, 1695
—ratoon stunting disease: diagnosis, pilot program, 1773; field losses from, 1742
—smut of, heritability estimates, 1723; inoculation procedure, new, 1750; spread and increase in Louisiana, 1730
Sugarcane mosaic virus
—Australian strains of, coat protein amino acid sequences, 1740
—new hosts and taxonomic analysis of Mississippi species, 598
—strain specific proteins isolated from, 1764
Sugawara, F., 1240
Süle, S., 173
Sullivan, P. J., 116
Summers, M. D., 1704
Sumner, D. R., 643, 1744
Sundheim, L., 1719
Sunflower
—bacterial toxemia of, leaf movements, 1708
—black stem of, screening methods for detecting resistance, 1746
Sunter, G., 1231
Suppressive soil (see also Biological control), solarization for induction, 1663
Suslow, T. V., 882, 1708
Sutker, E. M., 1721
Sutton, D. K., 123
Sutton, J. C., 115, 122, 1617
Sutton, T. B., 431
Swallow, W. H., 1376
Swart, W. J., 1387
Sweet clover necrotic mosaic virus, in cowpea, replication of RNA-1 in cowpea protoplasts, 1764
Sweet potato
—root infection by *Streptomyces*, histopathology, 1418, (1419-1423)
—storage rot, ultraviolet radiation effect, 1698
Sweigard, J. A., 122, 771
Swiecki, S. A., 1774
Swietlik, D., 1714
Synchytrium desmodii, on *Desmodium*, yield response, 1741
Syngonium podophyllum
—bacterial blight, etiology, 1257, (1259, 1260)
—histopathology, 1263, (1264 1266)
—Xanthomonas blight of, host nutrition effect, 1732
Szerszen, J., 1530

Taber, R. A., 642
Tachibana, H., 1702, 1719, 1742, 1746
Tainter, F. H., 1716, 1734, 1757
Takai, S., 96
Takemoto, J. Y., 297
Talaromyces flavus
—mitochondrial DNA in, biocontrol role, 1756
—in soil, proliferation and survival in alginate pellets, 131
—*Verticillium dahliae* microsclerotia viability reduced by, 616
Tamaki, S. J., 1718
Tang, A. Y., 1698
Tang, W.-H., 1104
Tanne, E., 122
Tanner, C. B., 927, 1694
Tarbah, F., 915
Tattar, T. A., 1614, 1618
Tavantzis, S. M., 1613, 1619
Taylor, G. S., 122
Taylor, J., 1701
Taylor, R. J., 1768
TeBeest, D. O., 1721
Teliz, D., 122, 1765
Templeton, G. E., 639
Terhune, B. T., 1745
Tewari, J. P., 780, 1703
Teyssandier, E., 1766
Thakur, R. P., 1737, 1738
Thal, W. M., 157, 964, 1730
Thamilzhseran, N., 1695
Therrien, C. D., 989, 1620
Thielaviopsis basicola
—on cotton: colonization and chylamydospore production, 1240; disease and environmental factors, 1715
—on tobacco, pathogenicity among isolates, 987
Thies, W. G., 1727
Thirumalachar, M. J., 1766
Thomas, C. E., 1621
Thomas, C. S., 275, 1700
Thomas, P. L., 533
Thomashow, L. S., 1724
Thomison, P. R., 989
Tillage (see Conservation tillage)
Tilletia spp.
—*T. caries*, in soil, persistence and control, 1772
—*T. indica*: nuclear cytology, 989; sporidia of, survival and growth, factors, 1700; teliospore dissemination by wheat stubble burning, 639; teliospore germination, matric and osmotic potential effect, 594; teliospores of, quantification in wheat soil, 1730; on wheat, histology, 1738
Timberlake, W. E., 1692
Timmer, L. W., 1341, 1691
Tingey, W. M., 819
Tiongco, E. R., 871
Tippett, J. T., 246
Tisserat, N., 1717
Tobacco
—black shank: resistance in, cultivar effect, 1741; resistance and development in field, 1090
—blue mold of: meteorological aspects of 1985 occurrence, 1729; resistance components, evaluation, 1724; resistance evaluation related to duvatrienediols, 1736; systemic resistance and tissue culture use, 1032
—cyst nematode and Fusarium wilt interaction, 119
—detached leaf use to evaluate disease resistance, 60
—mildew immunization in, colonization effect, 1692
—nematicide alternatives for, 122
—ozone dose, yield response models, 856
—*Pseudomonas* strains on, cloned gene cluster carrier, 1753
—*Pseudomonas syringae* on, hypersensitive response, 1268
—tomato golden mosaic virus of, ultrastructure, 1231, (1232-1235)
—viruses of: spatial pattern analysis, 1409; temporal analysis in fields, 974
—wildfire of, resistance of races 0 and 1 compared, 1364
Tobacco etch virus, in pepper
—epidemic resistance, 643
—resistance to, 1722
Tobacco mosaic virus
—apple protoplasts infected by, 1616
—chloroplasts affected by, properties, 989
—detection by dot-immunobinding assay, 306
—in gloxinia, 1774
—nucleic acid precursors that inhibit multiplication, 477
—resistance to, detached leaves for evaluation, 60
—in tomato, survey using dsRNA analysis, 1722
Tobacco ringspot virus
—detection by dot-immunobinding assay, 306
—particle complexity of, 1765
—T-1 icosahedron, chemical evidence, 1704
Tobacco streak virus, strawberry necrotic shock isolates of, characterization and detection, 1330
Todd, T. C., 1774
Toler, R. W., 639, 641, 1704, 1730, 1731, 1762
Tolin, S. A., 1763, 1766
Tolyposporium penicillariae, on pearl millet, inoculation and pollination effect on development, 293
Tomás, A., 1337
Tomasino, S. F., 643
Tomato
—Alternaria stem canker of, AAL-toxin,

genetics of resistance to, 80
—bacterial speck of, chemicals for, predictive system for timing, 823
—bacterial spot: epidemics, irrigation method effect, 1712: stomatal opening role, 1311
—bacterial stem rot of, in greenhouses, etiology and factors, 1457, (1459)
—cucumber mosaic virus of, strain D and necrogenic satellite CARNA 5, 808
—early blight, fungicides, mulch, and nitrogen effect, 117
—Fusarium and Verticillium wilts of, solarization effect, 1712
—late blight, cymoxanil to metalaxyl-resistant pathogens, 1283
—Phytophthora root and crown rot, resistance, 1113
—Phytophthora root rot, irrigation schedule, yield effect, 1744
—postharvest disease, chlorinated water and pH effect, 1697
—*Pseudomonas syringae* on, penetration, 988
—root-knot of, infection potential assessment, 1775
—toxin-induced cell death, sugar partitioning alterations, 1754
—transplants, mixed infections with *Pseudomonas* and *Xanthomonas*, pectolytic xanthomonads in, 611
—viroid host, ribosomal RNA gene promoter from, analysis, 1756
—wilt and xylem parenchyma cell relation, 1692
—xanthomonads on, growth and survival under nondisease conditions, 1341, (1345)
Tomato fern leaf mosaic virus, on tomato in Kuwait, 1722
Tomato golden mosaic virus, on tobacco, ultrastructure, 1231, (1232-1235)
Tomato mosaic virus, somaclonal resistance, genetics, 1705
Tomato ringspot virus
—detection by dot-immunobinding assay, 306
—dsRNA in squash infection and absence of polyadenylation in, 1617
—on *Prunus* seedlings, mechanical transmission, 560
Tomato spotted wilt virus
—on lettuce, 123
—in thrips, ELISA for detection, 985
Tomerlin, J. R., 1556
Tomlinson, J. A., 112
Tooley, P. W., 122, 1755
Torres G., C., 1741
Torres, H., 1747
Towers, B., 987
Toxins (see Mycotoxins and Phytotoxins)
Toyoda, H., 815
Trapero-Casas, A., 1240, 1242
Traquair, J. A., 1712
Travis, J. W., 122, 1614, 1615, 1691
Trees, conifer and hardwood species, xylem wound reaction zones, suberin, 718, (720-723)
Trese, A. T., 1719
Trevathan, L. E., 863
Triantaphyllou, A. C., 1696, 1713
Trichoderma spp.: hybridization of strains by protoplast fusion, 1619; *Rhizoctonia* mycelium metabolic leakage induced by, 699
—*T. hamatum*, for Rhizoctonia damping-off, bacterial interaction in compost, 1206
—*T. harzianum*: biocontrol strains, protoplast fusion for improving, 1771; rhizosphere competence, 182; rhizosphere competence, biocontrol for *Fusarium*, 1619; rhizosphere-competent mutants of, saprophytic ability and cellulolytic activity, 358
Tripping, B., 121
Triticale, slow leaf-rust
—incomplete hypersensitivity, 1763
—resistance, 458
Trotter, K. J., 366
Tsai, C. Y., 1740, 1745
Tsai, J. H., 196, 1769
Tsao, P. H., 1704
Tsror, L., 506
Tuovinen, O. H., 1708
Turek, R., 122
Turfgrass
—*Bipolaris sorokiniana* on, ethylene biosynthesis on, 1280
—disease measurements, image analysis system, 1742
—fairy rings in, basidiomycetes association, 987
—gray snow mold, biocontrol and factors, 119
—growth retardant treatments, pathogenicity relation, 121
—pink and grey snow mold, control with fungicides, 115
—*Poa* spp., summer patch of, 119
—sulfate reduction in, etiology, 1716
Turner, S. K., 1754
Tuskan, G. A., 1757
Tuzun, S., 1032
Tylenchulus semipenetrans, on citrus, soil salinity effect, 1714
Tzeng, D. D., 1748, 1749
Tzeng, H. L., 1749

Uncinula necator
—cleistothecia: dispersal and survival, 1700; initiation and development, 117; inoculum source in New York, on grape, 1509, (1510, 1512, 1513)
—pathogenic specialization, heterothallism, 1614
Upchurch, R. G., 1701
Upper, C. D., 927, 1078, 1694, 1751
Uromyces spp.
—*U. appendiculatus*: on bean, cultivar reaction, 1689; on bean, partial resistance, 1101; phenotypic diversity, isozymes for measurement, 1761; uredospores as spermatia, 1772
—*U. phaseoli*, urediniospores of: abundance and deposition gradients, 107; cation effect on germination, 1556
Ustilago spp.
—*U. hordei*, on barley, biometrical analysis of pathogenicity, 1697
—*U. maydis*: growth and lipid biosynthesis, antimycotic agent, 985; on sweet corn, gall development, 1738
—*U. nuda*, on barley, embryo necrosis relation, 533, (535-537)
Utermohlen, J. G., 1764
Uyemoto, J. K., 275, 1242

Valentine, H. T., 118
Valverde, R. A., 1766
Van Alfen, N. K., 496, 501, 1720, 1739, 1764
van Bruggen, A. H. C., 401, 564
van der Zwet, T., 376, 987, 990
VanEtten, H. D., 116, 771, 1693, 1755
Van Etten, J. L., 52
van Ginkel, M., 1629
Van Gundy, S. D., 1688, 1746
Vanilla, Phytophthora root rot, in Polynesia, 1704
Van Koevering, M., 742
van Leuken, P., 71
Vanneste, J. L., 1725
Van Pelt, N. J., 1764
Van Wert, S. L., 1754
Vargas, J. M., Jr., 1716
Vargas de Alvarez, A., 1730
Varveri, C., 1221
Venette, J. R., 1762, 1763, 1773
Venturia inaequalis
—on apple, resistance screening, 124
—benomyl resistance selection, 86
—benomyl-resistant and -sensitive populations, parasitic fitness and strain diversity, 1600
—*Chaetomium globosum* antagonistic to, factors and no control, 1470
—viability using fluorescein diacetate and calcofluor, 1746
Verticicladiella spp.
—*V. procera*: on Scots and white pine, colonization patterns, factors, 557; in soil, propagule distribution and efficacy, 552
—*V. wageneri*: conidial germination on root surfaces, 1238; on conifer root, isozyme analysis of variance, 124; on conifers, allozyme analysis in variants of, 1360; on Douglas-fir, growth reduction and heartwood formation, 1727; host specific variants of, virulence variation, 1757; variance of, interactions, 1717
Verticillium dahliae
—on cotton, polyethylene mulching for eradication, 1734
—on cotton root, serological staining procedure for, 261, (264)
—dihydroxycadalene toxic to, 1692
—fungal elicitor from conidia of, effect on *Papaver bracteatum*, 1739
—microsclerotia of, viability reduced by *Talaromyces*, 616
—microsclerotial strains of, benzimidazole-tolerant, 1770
—on potato, control by *Pseudomonas fluorescens*, 1592; photosynthesis and transpiration effect, 1703; stem colonization related to inoculum density in soil, 1346; wilt suppression with N and P, 1238; yield reduction models with nematodes, 579
—in soil, assay for, three methods, 875
—*Talaromyces flavus* for biocontrol, metabolite identification, 1720
—on tomato, races 1 and 2, toxicity of peptides from, 506
—vegetative compatibility in isolates of, classification, 1750
Vesonder, R. F., 1777
Vidaver, A. K., 388, 730, 1709, 1746
Vigodsky-Haas, H., 669
Villalon, B., 644, 1722
Vimard, B., 121
Vincelli, P. C., 122, 123, 1301, 1620
Vincent, J. R., 1754
Vine, R. P., 641
Viroid, chrysanthemum stunt, cytopathology, 655
Viruses (see also specific viruses)
—agarose slab gel electrophoresis, titration curves, 987
—mosaic potyvirus subgroup, isolate relations, 791
—multiplication, nucleic acid precursors as inhibitors, 477
—transmission, infection rate and probability estimate, group testing, 1376
Vogler, D. R., 1242
Volin, R. B., 1311
Von Chong, K., 644, 1730
von Mende, N., 1463

Wach, M. P., 1321
Wacker, T. L., 1760
Wadi, J. A., 1592
Waggoner, P. E., 393
Wagih, E. E., 641, 1731
Wakeman, R. J., 1748
Walker, J. T., 1734
Walker, M. E., 1616
Walkinshaw, C. H., 1726, 1757
Wall, G. C., 1762, 1767, 1776
Wall, J. H., 1776
Wall, P. L., 1767
Walla, J. A., 1757
Walla, J. S., 1757

Walsh, R., 92
Walter, J. C., 990
Walter, M. H., 1242
Walton, D., 119
Wang, M., 123
Wang, Y., 501
Wannamaker, M. J., 1710
Ward, C. W., 1740
Ward, E. W. B., 1755
Ward, L. J., 1753
Wargo, P. M., 123
Warren, H. L., 1740, 1745
Waterhouse, P. M., 1297, 1704
Watermelon
—Fusarium wilt of, soil suppressive to, cultivar induction, 607
—xylem fluid of, protein expression in, 1736
Watermelon mosaic virus
—in Kuwait, 1722
—muskmelon resistant to virus 2, 1742
Watermelon mosaic virus I, on yellow squash, mulch and row cover effect, 1713
Water potential
—*Aspergillus flavus* effect on cotton, 739
—*Phytophthora cinnamomi* growth affected by, 246
Watkins, J. E., 1728
Weaber, K. F., 118, 123
Weaver, C., 1775
Weaver, M. J., 986
Webb, R. R., 1144
Webster, R. K., 352, 1242, 1710, 1738
Wehrhahn, C. F., 1697
Weidman, R. B., 123
Weinhold, A. R., 623, 1688, 1746
Weise, K., 1700
Weller, D. M., 286, 1688, 1724
Wells, H. D., 293, 1772
Wells, J. M., 117, 118, 376, 418, 511, 673, 1616, 1767, 1769
Wells, K. M., 980
Welty, R. E., 893, 1749
Wenner, N. G., 120, 123, 1620
Wernsman, E. A., 60
Westcott III, S. W., 1071
Weste, G., 691
Wheat
—bacterial blight, population dynamics, 1399, (1404)
—Cephalosporium stripe of: continuous planting effect, 1759; soil factors affecting, 1237
—fungal foliar and spike diseases, survey in New York, 121, 1619
—glume blotch of, leaf and head resistance inheritance, 1371
—karnal bunt, distribution and yield loss in Mexico, 1775
—leaf and glume blotch of, yield and component effect, 1326
—leaf rust of: adult-plant resistance, temperature effect, 1723; exogenous source of inoculum in Louisiana, 1752; host response, 1763; photosynthesis affected by, 1740; temperature effect, 423
—mite-associated disease, new in North Dakota, 1773
—ozone and sulfur dioxide: physiological effects, 75; yield loss from, 71
—powdery mildew: early-season infection and yield, 1741; epidemics of, resistance to, 1614; fertility management, 986
—*Pyrenophora tritici-repentis*: culture filtrate toxic to, specificity, 1337; pathogenic to, isolate from bromegrass, 760
—*Pythium* in embryos of: factors, 1715; seed age and soil matric potential, 1104, (1106, 1107)
—Pythium root rot of, soil treatment effect for control, 1192, (1196, 1197)
—root infection with *Bipolaris* and *Fusarium*, severity classes, 1758
—root pathogens of, bacteria suppressive to, 1688
—scab epidemic in New York, assessment, 1613
—scab of, population mixtures for management, 986
—seed germination affected by enniatin production from *Fusarium*, 1483
—seedling root diseases, in Texas, 1745
—seed treatments, field evaluation, 986
—Septoria leaf blotch and leaf rust on, statistical interactions, 122
—Septoria tritici blotch, moisture and temperature effect, 215, 220
—*Septoria tritici* on, resistance, generation mean analysis and heritabilities, 1629
—soilborne mosaic-like virus, characterization, 1742
—stem and leaf rust effect on plant growth, 1616
—stem rust of: growth rate effect, 988; phenotypic diversity measurement, 1395; photosynthesis, transpiration, and stomatal resistance, 120; yield response described by Weibull function, 1741
—stripe rust of, yield components, 1741
—stripe rust resistance, inheritance and races, 1237
—take-all of: Mn immobilization, 1715; prochloraz and triadimenol effect, 122; pseudomonads suppressive to, soil matric potential effect, 286; yield loss, letter to editor, 393
—tan spot of: losses affected by time of epidemic termination, 1752; production of ascospores and pseudothecia, 1213; wet period and temperature effect, 1021
—yield affected by powdery mildew, chemical seed treatment, and foliar sprays, 642
Wheat soilborne mosaic virus, ELISA reactions from leaf tissue, 1764
Wheat spindle streak mosaic virus
—heritability of resistance, 742
—system for detection in fields, 1762
Wheeler, M. H., 1769
White, D. G., 999
White, F. F., 1697, 1767
White, J. F., 115
White, J. L., 808
White, T. L., 1744, 1745
Whitlow, T., 120
Whitney, E. D., 1723
Whittington, D. P., 1720
Wick, R. L., 123, 1620
Wicks, Z. W., III, 1772
Widholm, J., 1746
Wiglesworth, M. D., 1723, 1736
Wilcox, W. F., 1132, 1691
Wilcoxson, R. D., 1724
Wild rice, fungal brown spot, mancozeb and propionazol for, 1770
Wilhelm, S., 1117
Williams, E., Jr., 1772
Williams, L. E., 519
Williams, P. H., 527, 1289, 1772
Williams, W. P., 1714
Willis, D. K., 1697, 1709, 1768
Willis, J. W., 1199, 1736
Willmann, P. A., 96
Wills, J. W., 1726
Wilson, C. L., 303, 1776
Wilson, D. M., 641
Wilson, J., 458, 1763
Wilson, L. L., 1752
Win, H. H., 1744
Windels, C. E., 1715, 1758
Windham, A. S., 712
Windham, G. L., 644, 1714
Windom, G. E., 1237
Wingfield, M. J., 944, 1387
Wit, L. A., Jr., 1728
Witcher, W., 53
Wofford, D. S., 1237
Wolf, S., 1761
Woltz, S. S., 1713, 1749
Wong, S.-M., 1734
Wood, D. L., 631
Wood, H. N., 991
Wootke, S. L., 1213, 1749
Wu, C. H., 1740
Wu, H., 1759
Wu, Y., 1240
Wuest, P. J., 1617
Wunderlich, L., 1688
Wyatt, J. E., 1712
Wyatt, S. D., 1240
Wykoff, K. L., 1750, 1775
Wyllie, T. D., 1689, 1702, 1716, 1758
Wymore, L. A., 851

Xanthomonas spp., transconjugant selection, plasmid interference, 1240
Xanthomonas campestris
—from carrot seed, selective media for isolation, 1241
—characterization by monoclonal antibody use, 1725
—citrus strains, genomic fingerprints, from Asia, South America, and Florida, 286
—cosmid DNA mobilization in, 1753
—on cotton, polysaccharides between cells, 1719
—in crucifer seeds, monoclonal antibodies for identification, 1725
—on crucifers, control with chlorine, 1238
—differentiation from other yellow bacteria, refractive quality, 641
—dissemination of, monitoring by use of monoclonal antibodies, 366
—DNA probes and pathovar identification, 448
—on *Fittonia verschaffeltii*, new disease and pathovar, 1732
—genome for race differentiation, 1767
—ice nucleation gene, cloning, 1695
—isozyme variation in, starch-gel electrophoresis use, 1691
—on kidney bean, sulfur dioxide effect, 331
—molecular epidemiology, 1718
—on peach, leaf distribution, 1768
—on pepper, hypersensitive resistant, allelism tests, 1304
—on soybean: cotyledon bioassay method, 1695; microscopy of pustule development, 266, (267-273); pathogenic variation, 1709
—on *Syngonium*: etiology, 1257, (1259, 1260); histopathology, 1263, (1264-1266)
—on tepary bean, race differentiation, 1709, 1746
—on tomato: copper bactericides for, 1713; growth and survival under nondisease conditions, 1341, (1345); populations in resistant and susceptible lines, 1725; stomatal opening and frequency, 1311
—on tomato and pepper transplants, pectolytic xanthomonads in mixed infections, 611
—pathovar identification by isozyme analysis, 1725
—pectolytic strains, soft rots in markets, 418
—semiselective medium for isolation, MXP, 730
—taxonomy of pathovars, 1766
Xie, Q. J., 1723
Xie, W., 1698
Xiong, Z., 1706
Xu, G. W., 1753
Xu, P., 1772

Yahyaoui, A., 1723
Yang, X. B., 1741, 1752
Yanney, J., 999
Yepes, L. M., 124
Yoder, O. C., 1754
Yogev, A., 1663
Young, C. H., 1186
Young, L. D., 1713
Young, M. J., 1704

Young, S. A., 1242
Young, W. M., 1774
Yu, Z. H., 323
Yucel, I., 990, 1750, 1753
Yuen, G. Y., 366, 1758

Zagula Haufler, K., 742, 1721
Zaleska, I., 121
Zambino, P., 124
Zanelli, M., 331
Zapata, M., 1709, 1746
Zdor, R. E., 1758
Zebzami, M., 571
Zee, F., 120, 122, 1427
Zehr, E. I., 1709, 1720, 1776
Zeng, S. M., 1741
Zhang, L., 297
Zhang, Q., 352
Zhang, W., 1758
Zhou, T., 1620
Zilberstein, M., 841
Zinnen, T., 1740
Zitter, T. A., 819, 1712
Zook, M. N., 1217
Zoubi, M., 1731
Zuellig, T. R., 1760
Zumoff, C. H., 426, 1257, 1263